

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 9, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 9, 1897, was 22·8 per thousand of estimated population. This rate is 1·8 above that for the corresponding week of last year, and 0·4 above that for the previous week.

The lowest mortality was recorded in Aberdeen, viz., 18·4 per thousand; and the highest in Perth, viz., 32·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·1 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 146, being 1 above the number for the previous week.

The Mean Temperature was 39°·6, being 2°·5 below that for the week immediately preceding, and 3°·1 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 9, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Jan. 9, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	1165	680	1003	47·9	28·5	39·6	0·64
GLASGOW, . . .	12,311	714,919	58·072	9·81	588	356	492	47·9	30·5	40·2	0·60
EDINBURGH, . .	8,804	292,364	33·208	12·97	176	107	111	47·0	29·7	39·2	0·19
DUNDEE, . . .	4,162	163,090	39·185	11·94	98	67	159	45·8	30·7	37·8	0·99
ABERDEEN, . .	6,795	138,143	20·330	16·58	97	49	50	44·0	33·3	39·1	0·42
LEITH, . . . .	2,042	75,186	36·820	12·32	65	32	32	47·6	32·2	40·2	0·12
PAISLEY, . . .	3,538	74,206	20·974	16·32	65	28	92	47·2	31·0	40·3	0·84
GREENOCK, . .	1,440	61,475	42·690	11·44	60	22	43	47·2	35·0	40·4	0·92
PERTH, . . . .	2,122	30,524	14·385	19·71	16	19	24	46·8	28·5	39·4	1·06
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	774	614	1085	56·9	30·5	42·7	0·75







# WEEKLY RETURN

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 16, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 16, 1897, was 21·9 per thousand of estimated population. This rate is 2·3 above that for the corresponding week of last year, but 0·9 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 17·3 per thousand; and the highest in Paisley, viz., 23·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·9 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 154, being 8 above the number for the previous week.

The Mean Temperature was 34°·4, being 5°·2 below that for the week immediately preceding, and 3°·9 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 16, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Jan. 16, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	991	654	184	43·0	26·5	34·4	0·11
GLASGOW, . . . .	12,311	714,919	58·072	9·81	496	323	96	39·9	26·7	34·0	0·20
EDINBURGH, . . .	8,804	292,364	33·208	12·97	162	114	34	39·3	26·5	34·2	0·00
DUNDEE, . . . .	4,162	163,090	39·185	11·94	109	73	23	39·6	27·2	34·3	0·02
ABERDEEN, . . .	6,795	138,143	20·330	16·58	82	46	16	43·0	28·0	34·8	0·18
LEITH, . . . . .	2,042	75,186	36·820	12·32	51	26	6	39·9	29·8	35·6	0·01
PAISLEY, . . . .	3,538	74,206	20·974	16·32	44	34	5	42·9	28·0	35·3	0·12
GREENOCK, . . .	1,440	61,475	42·690	11·44	26	27	4	40·7	28·0	34·7	0·19
PERTH, . . . . .	2,122	30,524	14·385	19·71	21	11	0	39·0	26·5	32·6	0·13
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	933	573	469	53·7	25·0	38·3	0·04



# Week ending Saturday, JANUARY 16, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 16, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Deaths of			Deaths from										
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21·9	2·5	65·4	132	145	1	28	3	3	26	4	11	8	15·4	20	109	34
GLASGOW, .	23·5	4·2	323	59	49	0	25	1	2	23	3	4	4	71	11	59	16
EDINBURGH,	20·3	1·2	11·4	25	32	0	1	1	0	2	0	3	1	27	4	24	14
DUNDEE, . .	23·3	1·0	73	20	19	*1	0	0	1	0	0	1	0	22	1	6	1
ABERDEEN, .	17·3	0·4	46	11	20	0	1	0	0	1	0	0	0	9	2	5	1
LEITH, . . .	18·0	0·7	26	5	7	0	0	0	0	0	0	1	0	5	2	2	0
PAISLEY, . .	23·8	2·1	34	7	7	0	1	0	0	0	0	1	3	9	0	5	1
GREENOCK, .	22·8	2·5	27	4	7	0	0	1	0	0	1	1	0	7	0	3	1
PERTH, . . .	18·7	0·0	11	1	4	0	0	0	0	0	0	0	0	4	0	5	0

\* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 11, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Deaths of			Deaths from										
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19·6	2·2	57·3	116	137	0	14	2	2	23	3	19	7	12·4	16	94	41
GLASGOW, .	21·9	2·4	297	57	66	0	6	0	1	17	2	7	5	71	6	52	22
EDINBURGH,	16·9	1·9	90	18	28	0	1	1	1	1	1	5	1	17	1	21	7
DUNDEE, . .	17·1	1·6	53	16	9	0	0	0	0	2	0	3	0	12	2	8	2
ABERDEEN, .	19·9	1·9	52	9	15	0	0	0	0	2	0	3	0	9	4	3	4
LEITH, . . .	12·6	0·7	18	5	3	0	0	1	0	0	0	0	0	4	1	1	2
PAISLEY, . .	17·8	0·7	25	5	9	0	0	0	0	1	0	0	1	4	0	5	2
GREENOCK, .	24·4	5·9	29	5	4	0	7	0	0	0	0	0	0	7	2	3	1
PERTH, . . .	15·4	1·7	9	1	3	0	0	0	0	0	0	1	0	0	0	1	1



# WEEKLY RETURN

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 3.

WEEK ENDING SATURDAY, JANUARY 23, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 23, 1897, was 24·6 per thousand of estimated population. This rate is 5·1 above that for the corresponding week of last year, and 2·7 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·3 per thousand; and the highest in Glasgow, viz., 28·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·5 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 160, being 6 above the number for last week.

The Mean Temperature was 32°·5, being 1°·9 below that for the week immediately preceding, and 7°·9 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 23, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Jan. 23, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	898	733	156	49·7	15·5	32·5	0·18
GLASGOW, . . .	12,311	714,919	58·072	9·81	457	397	76	40·9	18·0	32·0	0·12
EDINBURGH, . .	8,804	292,364	33·208	12·97	132	125	38	39·3	26·0	33·1	0·33
DUNDEE, . . .	4,162	163,090	39·185	11·94	87	65	8	39·8	24·7	32·1	0·12
ABERDEEN, . .	6,795	138,143	20·330	16·58	81	47	19	40·0	15·5	32·3	0·42
LEITH, . . . .	2,042	75,186	36·820	12·32	43	33	5	39·7	28·1	34·3	0·24
PAISLEY, . . .	3,538	74,206	20·974	16·32	41	23	5	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	40	34	4	49·7	21·0	33·7	0·03
PERTH, . . . .	2,122	30,524	14·385	19·71	17	9	1	41·0	21·5	29·8	0·00
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	956	570	149	52·5	27·8	40·4	0·64



# Week ending Saturday, JANUARY 23, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 23, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	24·6	3·0	733	119	187	0	36	6	8	26	6	7	2	160	36	140	32
GLASGOW, .	28·9	4·9	397	68	77	0	32	3	4	20	4	4	1	83	18	70	15
EDINBURGH,	22·2	1·4	125	16	49	0	1	1	2	2	1	1	0	26	6	39	11
DUNDEE, . .	20·7	1·3	65	10	21	0	0	0	1	1	1	1	0	17	7	11	3
ABERDEEN, .	17·7	1·5	47	7	14	0	1	1	1	0	0	1	0	10	1	5	2
LEITH, . . .	22·8	0·7	33	6	10	0	0	0	0	1	0	0	0	5	2	8	0
PAISLEY, . .	16·1	3·5	23	3	5	0	2	1	0	2	0	0	1	3	0	2	0
GREENOCK, .	28·8	0·0	34	8	7	0	0	0	0	0	0	0	0	14	1	3	1
PERTH, . . .	15·3	0·0	9	1	4	0	0	0	0	0	0	0	0	2	1	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 18, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19·5	2·5	570	112	138	0	6	6	3	38	5	15	3	133	15	99	40
GLASGOW, .	21·0	3·0	285	58	62	0	2	5	0	22	2	9	2	71	7	57	19
EDINBURGH,	15·2	0·9	81	9	23	0	0	0	1	1	2	1	0	16	2	19	10
DUNDEE, . .	22·5	4·8	70	13	12	0	2	1	0	10	0	2	0	16	1	10	0
ABERDEEN, .	19·5	3·4	51	14	14	0	0	0	1	5	0	3	1	8	2	6	2
LEITH, . . .	17·5	1·4	25	8	7	0	0	0	1	0	1	0	0	6	3	1	4
PAISLEY, . .	20·7	0·0	29	4	7	0	0	0	0	0	0	0	0	7	0	2	3
GREENOCK, .	19·4	1·7	23	6	8	0	2	0	0	0	0	0	0	6	0	1	2
PERTH, . . .	10·3	0·0	6	0	5	0	0	0	0	0	0	0	0	3	0	3	0



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 4.

WEEK ENDING SATURDAY, JANUARY 30, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 30, 1897, was 24·3 per thousand of estimated population. This rate is 4·2 above that for the corresponding week of last year, but 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 18·0 per thousand; and the highest in Greenock, viz., 30·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 183, being 23 above the number for the previous week.

The Mean Temperature was 32°·2, being 0°·3 below that for the week immediately preceding, and 6°·3 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 30, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Jan. 30, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	924	723	159	46·2	20·8	32·2	0·66
GLASGOW, . . .	12,311	714,919	58·072	9·81	457	362	74	42·9	21·9	33·0	0·60
EDINBURGH, . .	8,804	292,364	33·208	12·97	166	131	26	39·8	20·8	31·6	0·28
DUNDEE, . . .	4,162	163,090	39·185	11·94	76	62	14	37·8	22·5	31·3	0·54
ABERDEEN, . . .	6,795	138,143	20·330	16·58	82	59	12	42·0	20·8	30·0	2·04
LEITH, . . . .	2,042	75,186	36·820	12·32	55	26	17	38·8	23·9	32·4	0·30
PAISLEY, . . .	3,538	74,206	20·974	16·32	40	30	7	46·2	24·1	34·1	0·63
GREENOCK, . .	1,440	61,475	42·690	11·44	36	36	6	41·5	23·0	32·7	0·61
PERTH, . . . .	2,122	30,524	14·385	19·71	12	17	3	41·0	21·0	32·4	0·31
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	900	586	123	50·6	20·5	38·5	0·16



# Week ending Saturday, JANUARY 30, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 30, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24.3	2.7	723	131	175	0	28	5	2	28	7	11	7	183	23	148	44	5
GLASGOW, .	26.3	3.8	362	64	64	0	24	0	0	19	3	6	4	92	13	76	24	4
EDINBURGH,	23.3	2.7	131	22	39	0	1	4	2	7	1	0	1	32	3	34	18	0
DUNDEE, . .	19.8	0.3	62	9	20	0	0	0	0	0	1	0	2	14	5	13	0	0
ABERDEEN, .	22.2	2.6	59	16	17	0	1	0	0	1	1	4	0	8	0	13	0	0
LEITH, . . .	18.0	0.7	26	7	6	0	0	1	0	0	0	0	0	11	0	0	0	0
PAISLEY, . .	21.0	2.1	30	4	12	0	2	0	0	0	1	0	0	6	0	5	0	0
GREENOCK, .	30.5	0.8	36	5	10	0	0	0	0	0	0	1	0	16	2	3	1	0
PERTH, . . .	29.0	1.7	17	4	7	0	0	0	0	1	0	0	0	4	0	4	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 25, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.1	2.0	586	122	145	0	9	3	4	29	3	11	8	134	30	116	34	1
GLASGOW, .	20.6	1.8	279	54	53	0	5	1	0	13	1	4	3	66	19	60	22	0
EDINBURGH,	15.8	0.9	84	14	27	0	0	1	0	2	1	1	3	16	2	13	9	1
DUNDEE, . .	29.3	4.2	91	26	24	0	0	0	2	8	0	3	1	27	3	13	1	0
ABERDEEN, .	16.1	4.2	42	10	10	0	0	0	2	6	1	2	0	8	0	12	0	0
LEITH, . . .	15.4	0.7	22	5	9	0	0	1	0	0	0	0	1	1	3	7	0	0
PAISLEY, . .	20.7	0.7	29	3	13	0	0	0	0	0	0	1	0	8	0	6	1	0
GREENOCK, .	21.9	3.4	26	7	2	0	4	0	0	0	0	0	0	4	2	3	1	0
PERTH, . . .	22.2	0.0	13	3	7	0	0	0	0	0	0	0	0	4	1	2	0	0



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 6, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 6, 1897, was 26·6 per thousand of estimated population. This rate is 7·1 above that for the corresponding week of last year, and 2·3 above that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 22·3 per thousand; and the highest in Greenock, viz., 44·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·5 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 222, being an increase of 39 on the number for the previous week.

The Mean Temperature was 33°·5, being 1°·3 above that for the week immediately preceding, but 8°·8 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 6, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Feb. 6, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	924	792	179	43·0	9·3	33·5	0·19
GLASGOW, . . .	12,311	714,919	58·072	9·81	443	374	78	40·2	28·0	34·6	0·32
EDINBURGH, . .	8,804	292,364	33·208	12·97	162	140	36	38·3	29·3	34·6	0·07
DUNDEE, . . .	4,162	163,090	39·185	11·94	83	70	18	37·8	25·8	33·0	0·24
ABERDEEN, . .	6,795	138,143	20·330	16·58	98	60	22	38·0	9·3	30·2	0·22
LEITH, . . . .	2,042	75,186	36·820	12·32	40	37	9	38·6	32·0	35·7	0·07
PAISLEY, . . .	3,538	74,206	20·974	16·32	42	37	10	43·0	28·5	35·0	0·25
GREENOCK, . .	1,440	61,475	42·690	11·44	43	52	3	38·0	29·0	33·5	0·25
PERTH, . . . .	2,122	30,524	14·385	19·71	13	22	3	39·0	20·5	31·8	0·08
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	901	570	157	53·8	29·8	42·3	0·28



# Week ending Saturday, FEBRUARY 6, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 6, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	26.6	3.2	792	173	198	0	28	7	5	32	4	20	7	222	29	142	61	8
GLASGOW, .	27.2	4.3	374	87	81	0	24	3	4	23	1	4	3	102	11	56	27	8
EDINBURGH,	24.9	1.6	140	34	42	0	0	0	1	5	1	2	0	37	4	28	21	0
DUNDEE, . .	22.3	2.6	70	18	13	0	0	0	0	2	0	6	1	20	1	13	5	0
ABERDEEN, .	22.6	2.3	60	14	19	0	2	1	0	0	1	2	1	15	4	17	0	0
LEITH, . . .	25.6	2.1	37	7	12	0	0	1	0	0	0	2	1	8	5	7	1	0
PAISLEY, . .	25.9	2.1	37	5	15	0	0	1	0	1	0	1	0	11	0	11	2	0
GREENOCK, .	44.0	2.5	52	6	10	0	0	0	0	0	0	3	1	24	4	6	3	0
PERTH, . . .	37.5	8.5	22	2	6	0	2	1	0	1	1	0	0	5	0	4	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 1, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.5	2.7	570	119	131	0	2	10	6	37	7	17	5	111	15	102	32	0
GLASGOW, .	19.5	3.4	264	51	47	0	1	7	3	23	4	8	3	51	3	55	10	0
EDINBURGH,	15.8	1.3	84	16	24	0	0	1	2	1	1	2	0	13	7	14	17	0
DUNDEE, . .	24.8	3.2	77	23	14	0	1	0	0	5	1	3	1	23	4	12	2	0
ABERDEEN, .	25.2	2.7	66	15	24	0	0	0	0	5	0	2	0	14	0	14	1	0
LEITH, . . .	11.2	1.4	16	3	7	0	0	1	0	1	0	0	0	5	0	3	0	0
PAISLEY, . .	21.4	2.1	30	2	8	0	0	0	1	0	1	1	0	2	1	1	0	0
GREENOCK, .	15.2	3.4	18	6	1	0	0	1	0	2	0	1	1	2	0	2	1	0
PERTH, . . .	25.6	0.0	15	3	6	0	0	0	0	0	0	0	0	1	0	1	1	0



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 6.                      WEEK ENDING SATURDAY, FEBRUARY 13, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 13, 1897, was 28·8 per thousand of estimated population. This rate is 10·0 above that for the corresponding week of last year, and 2·2 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 21·4 per thousand; and the highest in Perth, viz., 40·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·6 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 227, being 5 above the number for the previous week.

The Mean Temperature was 37°·1, being 3°·6 above that for the week immediately preceding, but 6°·9 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 13, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Feb. 13, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	908	857	148	49·8	22·0	37·1	0·27
GLASGOW, . . .	12,311	714,919	58·072	9·81	451	458	75	48·8	23·1	38·1	0·44
EDINBURGH, . .	8,804	292,364	33·208	12·97	158	139	24	47·9	28·2	38·2	0·26
DUNDEE, . . .	4,162	163,090	39·185	11·94	89	75	10	46·5	27·4	36·5	0·04
ABERDEEN, . .	6,795	138,143	20·330	16·58	77	57	19	41·2	22·0	34·2	0·03
LEITH, . . . .	2,042	75,186	36·820	12·32	32	31	7	46·8	29·2	38·4	0·19
PAISLEY, . . .	3,538	74,206	20·974	16·32	45	34	4	49·8	25·5	38·2	0·35
GREENOCK, . .	1,440	61,475	42·690	11·44	45	39	7	45·0	28·2	36·9	0·47
PERTH, . . . .	2,122	30,524	14·385	19·71	11	24	2	48·2	26·0	36·6	0·42
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	867	548	163	54·3	28·2	44·0	0·55



# Week ending Saturday, FEBRUARY 13, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 13, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of			Deaths from											
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	28.8	3.6	857	161	219	*1	31	5	4	39	7	19	13	227	19	139	51	6
GLASGOW, .	33.3	4.9	458	90	98	*1	23	3	3	27	4	6	8	144	11	77	20	4
EDINBURGH,	24.7	2.7	139	23	43	0	4	1	0	8	0	2	3	22	4	25	22	1
DUNDEE, . .	23.9	2.2	75	14	26	0	0	1	1	1	0	4	0	17	1	12	3	0
ABERDEEN, .	21.5	1.5	57	13	17	0	3	0	0	0	1	0	1	10	1	4	1	1
LEITH, . . .	21.4	1.4	31	6	9	0	0	0	0	0	0	2	1	9	0	4	1	0
PAISLEY, . .	23.8	1.4	34	4	12	0	0	0	0	0	1	1	0	7	0	9	1	0
GREENOCK, .	33.0	0.8	39	7	8	0	0	0	0	0	0	1	0	16	1	5	3	0
PERTH, . . .	40.9	13.6	24	4	6	0	1	0	0	3	1	3	0	2	1	3	0	0

\* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 8, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	18.8	2.6	548	89	131	0	4	6	10	32	8	17	1	105	19	123	24	0		
GLASGOW, .	19.2	2.7	260	32	55	0	2	3	2	17	5	8	1	58	11	59	9	0		
EDINBURGH,	17.7	0.8	94	9	27	0	0	0	3	1	0	0	0	15	3	23	12	0		
DUNDEE, . .	17.7	2.6	55	16	12	0	0	0	0	4	1	3	0	7	1	16	2	0		
ABERDEEN, .	21.8	6.1	57	14	14	0	0	1	4	7	0	4	0	7	0	10	0	0		
LEITH, . . . .	9.8	2.1	14	4	4	0	0	2	0	0	1	0	0	1	0	1	1	0		
PAISLEY, . . .	25.7	3.6	36	7	11	0	0	0	1	2	1	1	0	8	3	12	0	0		
GREENOCK, . .	21.0	3.4	25	6	3	0	2	0	0	1	0	1	0	7	1	0	0	0		
PERTH, . . . .	12.0	0.0	7	1	5	0	0	0	0	0	0	0	0	2	0	2	0	0		



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 20, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 20, 1897, was 25·5 per thousand of estimated population. This rate is 6·4 above that for the corresponding week of last year, but 3·3 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 19·9 per thousand; and the highest in Perth, viz., 30·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·0 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 214, being 13 below the number for the previous week.

The Mean Temperature was 43°·6, being 6°·5 above that for the week immediately preceding, but 2°·6 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 20, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Feb. 20, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	963	761	150	55·6	31·7	43·6	0·24
GLASGOW, . . .	12,311	714,919	58·072	9·81	478	404	78	54·8	34·3	45·0	0·17
EDINBURGH, . .	8,804	292,364	33·208	12·97	155	112	24	55·0	38·0	45·3	0·11
DUNDEE, . . .	4,162	163,090	39·185	11·94	83	68	9	50·8	34·4	42·2	0·17
ABERDEEN, . .	6,795	138,143	20·330	16·53	79	61	25	53·8	31·7	40·9	0·15
LEITH, . . . .	2,042	75,186	36·820	12·32	53	34	4	55·6	38·0	45·8	0·20
PAISLEY, . . .	3,538	74,206	20·974	16·32	49	38	4	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	46	26	4	52·0	34·0	43·8	0·75
PERTH, . . . .	2,122	30,524	14·385	19·71	20	18	2	53·0	33·0	42·5	0·15
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	841	557	171	54·2	35·2	46·2	0·20



# Week ending Saturday, FEBRUARY 20, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 20, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	25.5	4.0	761	179	182	0	42	4	2	45	4	22	4	214	17	116	37	2
GLASGOW, .	29.4	6.3	404	101	75	0	38	2	1	33	3	10	3	127	8	60	15	2
EDINBURGH,	19.9	2.3	112	22	35	0	1	1	1	8	0	2	1	21	6	21	13	0
DUNDEE, . .	21.7	1.3	68	17	24	0	0	0	0	0	0	4	0	14	2	8	6	0
ABERDEEN, .	23.0	1.5	61	12	17	0	2	1	0	0	1	0	0	16	1	10	0	0
LEITH, . . .	23.5	1.4	34	10	5	0	0	0	0	0	0	2	0	12	0	4	1	0
PAISLEY, . .	26.6	1.4	38	9	16	0	1	0	0	1	0	0	0	15	0	8	0	0
GREENOCK, .	22.0	0.8	26	6	6	0	0	0	0	0	0	1	0	7	0	1	2	0
PERTH, . . .	30.7	10.2	18	2	4	0	0	0	0	3	0	3	0	2	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 15, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.1	2.3	557	114	126	0	5	7	5	30	5	14	4	101	23	112	40	1
GLASGOW, .	20.0	2.5	271	55	49	0	1	2	3	18	2	8	1	54	14	55	18	1
EDINBURGH,	19.7	1.5	105	18	27	0	3	0	0	2	3	0	1	15	3	32	16	0
DUNDEE, . .	19.6	2.6	61	19	16	0	0	1	2	3	0	2	0	13	1	7	2	0
ABERDEEN, .	17.6	3.1	46	11	15	0	0	3	0	3	0	2	1	9	1	6	1	0
LEITH, . . .	11.9	0.0	17	3	4	0	0	0	0	0	0	0	1	3	0	2	0	0
PAISLEY, . .	13.6	1.4	19	2	7	0	0	0	0	1	0	1	0	3	0	1	2	0
GREENOCK, .	24.4	5.0	29	5	4	0	1	1	0	3	0	1	0	3	3	5	1	0
PERTH, . . .	15.4	0.0	9	1	4	0	0	0	0	0	0	0	0	1	1	4	0	0



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF

## SCOTLAND.

By Authority of the Registrar-General.

No. 8.                      WEEK ENDING SATURDAY, FEBRUARY 27, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, February 27, 1897, was 25·4 per thousand of estimated population. This rate is 5·9 above that for the corresponding week of last year, but 0·1 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 12·4 per thousand; and the highest in Perth, viz., 30·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 1·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 230, being 16 above the number for the previous week.

The Mean Temperature was 46°·4, being 2°·8 above that for the week immediately preceding, and 5°·0 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 27, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre, 1897.	Prox- imity in Yards.	Registered during the Week ending Feb. 27, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	915	756	201	64·2	33·4	46·4	1·28
GLASGOW, . . .	12,311	714,919	58·072	9·81	471	395	101	55·9	37·3	46·9	1·86
EDINBURGH, . .	8,804	292,364	33·208	12·97	157	142	41	56·1	36·2	46·5	0·84
DUNDEE, . . .	4,162	163,090	39·185	11·94	73	67	14	58·3	35·8	45·8	0·48
ABERDEEN, . .	6,795	138,143	20·330	16·58	84	60	17	64·2	33·4	45·6	0·03
LEITH, . . . .	2,042	75,186	36·820	12·32	48	18	5	56·7	38·9	47·3	0·60
PAISLEY, . . .	3,538	74,206	20·974	16·32	25	35	10	54·0	35·1	45·5	2·22
GREENOCK, . .	1,440	61,475	42·690	11·44	41	21	5	54·7	37·0	45·9	3·68
PERTH, . . . .	2,122	30,524	14·385	19·71	16	18	8	60·0	36·0	48·1	0·57
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	930	570	182	53·2	26·5	41·4	0·36



# Week ending Saturday, FEBRUARY 27, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 27, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	25.4	2.9	756	165	173	1	30	5	5	32	0	13	1	230	22	143	45	3
GLASGOW, .	28.7	3.8	395	95	75	0	24	4	2	19	0	3	0	128	8	67	21	3
EDINBURGH,	25.3	2.1	142	20	37	0	5	1	1	4	0	1	1	33	10	32	20	0
DUNDEE, . .	21.4	3.2	67	13	13	0	0	0	2	3	0	5	0	17	2	12	0	0
ABERDEEN, .	22.6	2.6	60	19	15	0	1	0	0	3	0	3	0	17	1	12	1	0
LEITH, . . .	12.4	0.7	18	4	7	1	0	0	0	0	0	0	0	4	0	3	0	0
PAISLEY, . .	24.5	1.4	35	8	10	0	0	0	0	1	0	1	0	21	0	8	1	0
GREENOCK, .	17.8	0.8	21	4	8	0	0	0	0	1	0	0	0	5	1	2	2	0
PERTH, . . .	30.7	1.7	18	2	8	0	0	0	0	1	0	0	0	5	0	7	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 22, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.5	2.1	570	141	123	0	4	6	1	32	5	12	4	116	21	95	35	2
GLASGOW, .	20.3	2.0	275	71	50	0	2	2	1	16	2	4	1	58	9	42	12	1
EDINBURGH,	18.6	2.3	99	20	25	0	1	3	0	4	2	2	2	16	6	20	11	0
DUNDEE, . .	21.6	2.6	67	16	10	0	0	1	0	4	0	3	0	15	3	14	4	0
ABERDEEN, .	18.7	2.3	49	12	15	0	0	0	0	5	1	0	0	12	2	11	0	0
LEITH, . . .	14.7	1.4	21	6	6	0	0	0	0	1	0	1	1	4	1	4	2	0
PAISLEY, . .	16.4	1.4	23	8	6	0	0	0	0	1	0	1	0	2	0	3	1	0
GREENOCK, .	20.2	2.5	24	6	6	0	1	0	0	1	0	1	0	6	0	0	5	1
PERTH, . . .	20.5	0.0	12	2	5	0	0	0	0	0	0	0	0	3	0	1	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 9. WEEK ENDING SATURDAY, MARCH 6, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 6, 1897, was 24·9 per thousand of estimated population. This rate is 5·4 above that for the corresponding week of last year, but 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 18·0 per thousand; and the highest in Perth, viz., 32·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 196, being 34 below the number for the previous week.

The Mean Temperature was 38°·5, being 7°·9 below that for the week immediately preceding, but 1°·1 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 6, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Mar. 6, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	978	743	257	55·0	28·5	38·5	0·80
GLASGOW, . . .	12,311	714,919	58·072	9·81	498	374	154	47·9	28·8	38·8	0·77
EDINBURGH, . .	8,804	292,364	33·208	12·97	138	137	35	46·0	31·3	38·9	0·39
DUNDEE, . . . .	4,162	163,090	39·185	11·94	104	83	15	46·8	28·8	37·8	0·35
ABERDEEN, . .	6,795	138,143	20·330	16·58	82	50	20	43·6	29·0	36·6	1·00
LEITH, . . . . .	2,042	75,186	36·820	12·32	43	26	8	47·7	33·0	39·9	0·26
PAISLEY, . . . .	3,538	74,206	20·974	16·32	54	29	10	55·0	29·3	39·4	0·91
GREENOCK, . .	1,440	61,475	42·690	11·44	41	25	15	45·7	30·0	38·1	1·94
PERTH, . . . . .	2,122	30,524	14·385	19·71	18	19	0	48·5	28·5	38·4	0·75
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	918	570	167	51·0	25·2	37·4	0·39



# Week ending Saturday, MARCH 6, 1897.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, March 6, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24.9	3.2	743	165	161	0	30	5	4	36	5	16	7	196	41	127	47	8
GLASGOW, .	27.2	4.3	374	85	61	0	18	2	3	24	3	9	5	110	23	69	20	8
EDINBURGH,	24.4	3.6	137	29	42	0	10	1	0	7	0	2	1	34	6	32	19	0
DUNDEE, . .	26.5	1.3	83	20	16	0	0	0	0	0	1	3	0	17	5	10	3	0
ABERDEEN, .	18.8	1.5	50	10	16	0	1	1	0	1	0	1	1	15	3	6	1	0
LEITH, . . .	18.0	2.1	26	3	7	0	0	1	1	1	0	0	0	3	2	2	0	0
PAISLEY, . .	20.3	2.1	29	8	7	0	1	0	0	1	0	1	0	11	0	2	2	0
GREENOCK, .	21.2	0.0	25	8	5	0	0	0	0	0	0	0	0	4	1	2	1	0
PERTH, . . .	32.4	5.1	19	2	7	0	0	0	0	2	1	0	0	2	1	4	1	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, February 29, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.5	2.2	570	124	116	0	9	3	6	27	2	17	6	105	34	111	37	4
GLASGOW, .	20.8	2.7	282	61	46	0	6	2	0	17	2	10	3	55	18	54	22	3
EDINBURGH,	18.8	1.9	100	16	28	0	2	0	3	2	0	3	1	13	6	22	4	0
DUNDEE, . .	20.9	1.3	65	14	13	0	0	0	0	2	0	2	0	19	3	13	2	0
ABERDEEN, .	20.3	2.7	53	13	11	0	0	1	1	3	0	2	1	7	4	10	1	1
LEITH, . . .	14.0	0.7	20	7	8	0	0	0	1	0	0	0	0	2	1	4	4	0
PAISLEY, . .	15.0	1.4	21	4	2	0	0	0	1	1	0	0	0	5	1	1	1	0
GREENOCK, .	16.8	2.5	20	5	4	0	1	0	0	2	0	0	1	2	1	3	1	0
PERTH, . . .	15.4	0.0	9	4	4	0	0	0	0	0	0	0	0	2	0	4	2	0

## WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

## SCOTLAND.

By Authority of the Registrar-General.

No. 10.

WEEK ENDING SATURDAY, MARCH 13, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 13, 1897, was 23·1 per thousand of estimated population. This rate is 3·9 above that for the corresponding week of last year, but 1·8 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 17·8 per thousand; and the highest in Glasgow, viz., 25·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 149, being 47 below the number for the previous week.

The Mean Temperature was 40°·4, being 1°·9 above that for the week immediately preceding, and 0°·1 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 13, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Mar. 13, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214.	1,549,907	37·606	12·19	972	690	173	50·0	28·5	40·4	0·72
GLASGOW, . . .	12,311	714,919	58·072	9·81	484	354	84	49·4	32·0	41·4	0·44
EDINBURGH, . .	8,804	292,364	33·208	12·97	135	110	38	48·0	33·8	40·4	0·41
DUNDEE, . . .	4,162	163,090	39·185	11·94	107	77	12	46·8	29·4	39·4	0·98
ABERDEEN, . .	6,795	138,143	20·330	16·58	97	61	11	48·5	31·0	39·2	1·03
LEITH, . . . .	2,042	75,186	36·820	12·32	38	27	11	46·9	32·1	41·0	0·38
PAISLEY, . . .	3,538	74,206	20·974	16·32	43	26	6	49·0	33·9	41·8	0·80
GREENOCK, . .	1,440	61,475	42·690	11·44	53	21	8	50·0	33·0	40·3	1·00
PERTH, . . . .	2,122	30,524	14·385	19·71	15	14	3	47·5	28·5	39·8	0·72
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	951	560	221	50·8	27·4	40·3	1·10



# Week ending Saturday, MARCH 13, 1897.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, March 13, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·1	2·8	690	155	154	0	27	5	4	29	4	14	3	149	27	146	36	8
GLASGOW, .	25·7	3·5	354	80	73	0	19	1	2	17	3	6	2	91	14	90	16	6
EDINBURGH,	19·6	4·3	110	18	13	0	7	2	1	12	0	2	1	10	2	23	8	0
DUNDEE, . .	24·6	1·9	77	15	23	0	0	1	0	0	1	4	0	13	5	13	3	0
ABERDEEN, .	23·0	1·5	61	17	20	0	1	1	1	0	0	1	0	13	2	12	0	1
LEITH, . . .	18·7	0·0	27	8	8	0	0	0	0	0	0	0	0	5	0	0	1	0
PAISLEY, . .	18·2	0·7	26	9	5	0	0	0	0	0	0	1	0	11	1	4	3	0
GREENOCK, .	17·8	0·0	21	6	6	0	0	0	0	0	0	0	0	5	2	0	3	0
PERTH, . . .	23·9	0·0	14	2	6	0	0	0	0	0	0	0	0	1	1	4	2	1

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, March 7, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	19·2	2·2	560	107	118	0	6	6	6	29	6	11	3	103	27	110	41	4		
GLASGOW, .	18·2	2·1	247	44	40	0	3	3	2	15	1	5	0	50	13	50	21	4		
EDINBURGH,	19·0	2·3	101	17	22	0	1	2	2	3	2	2	2	16	6	24	11	0		
DUNDEE, . .	19·6	2·6	61	14	12	0	1	0	1	1	2	3	0	15	2	10	0	0		
ABERDEEN, .	19·9	3·1	52	14	16	0	0	1	0	7	0	0	0	9	1	11	1	0		
LEITH, . . .	20·4	0·7	29	6	9	0	0	0	0	1	0	0	0	5	1	2	3	0		
PAISLEY, . .	23·5	2·9	33	6	11	0	0	0	0	2	1	1	1	3	3	8	3	0		
GREENOCK, .	21·9	0·8	26	5	4	0	1	0	0	0	0	0	0	5	1	2	1	0		
PERTH, . . .	18·8	1·7	11	1	4	0	0	0	1	0	0	0	0	0	0	3	1	0		

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 20, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 20, 1897, was 23·3 per thousand of estimated population. This rate is 3·7 above that for the corresponding week of last year, and 0·2 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 18·0 per thousand; and the highest in Perth, viz., 32·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·6 per thousand, being 0·8 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 149, being the same as for the previous week.

The Mean Temperature was 41°·6, being 1°·2 above that for the week immediately preceding, and 0°·5 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 20, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Mar. 20, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	877	693	165	52·8	33·0	41·6	1·31
GLASGOW, . . .	12,311	714,919	58·072	9·81	430	335	84	52·8	33·7	43·3	1·46
EDINBURGH, . .	8,804	292,364	33·208	12·97	139	116	27	52·1	33·9	41·6	0·69
DUNDEE, . . .	4,162	163,090	39·185	11·94	74	75	11	50·4	33·2	40·9	1·42
ABERDEEN, . .	6,795	138,143	20·330	16·58	86	62	13	51·4	33·0	40·9	0·75
LEITH, . . . .	2,042	75,186	36·820	12·32	47	26	7	51·4	35·0	42·2	0·91
PAISLEY, . . .	3,538	74,206	20·974	16·32	48	35	13	51·7	34·0	42·6	1·14
GREENOCK, . .	1,440	61,475	42·690	11·44	37	25	8	50·0	33·5	40·4	2·06
PERTH, . . . .	2,122	30,524	14·385	19·71	16	19	2	51·0	34·0	41·2	2·03
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	948	571	180	55·9	29·0	41·1	0·34



# Week ending Saturday, MARCH 20, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 20, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23·3	3·6	693	149	150	0	33	9	5	33	11	15	6	149	26	122	38	2
GLASGOW, .	24·4	4·8	335	73	52	0	21	2	3	24	8	8	1	80	15	47	18	2
EDINBURGH,	20·6	3·6	116	23	29	0	12	2	0	5	1	0	3	25	5	27	11	0
DUNDEE, . .	23·9	1·9	75	19	21	0	0	1	2	0	0	3	1	11	3	9	5	0
ABERDEEN, .	23·3	2·3	62	15	17	0	0	2	0	1	0	3	1	17	1	14	1	0
LEITH, . . .	18·0	1·4	26	5	8	0	0	1	0	0	0	1	0	6	0	5	2	0
PAISLEY, . .	24·5	1·4	35	4	13	0	0	1	0	0	1	0	0	5	0	10	0	0
GREENOCK, .	21·2	0·8	25	5	4	0	0	0	0	0	1	0	0	5	2	6	1	0
PERTH, . . .	32·4	5·1	19	5	6	0	0	0	0	3	0	0	0	0	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 14, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·6	2·5	571	108	113	1	9	7	3	35	6	12	2	114	23	108	34	3
GLASGOW, .	20·2	3·1	274	55	36	0	7	1	0	23	4	7	0	60	10	51	17	3
EDINBURGH,	19·0	1·9	101	18	31	*1	0	3	2	1	2	1	1	19	3	26	13	0
DUNDEE, . .	18·3	1·0	57	8	12	0	1	0	0	1	0	1	0	16	2	8	0	0
ABERDEEN, .	22·2	4·2	58	14	12	0	0	2	0	7	0	2	0	7	4	9	3	0
LEITH, . . .	21·1	0·7	30	7	6	0	0	1	0	0	0	0	1	3	2	6	1	0
PAISLEY, . .	12·8	0·7	18	1	5	0	0	0	0	1	0	0	0	6	0	5	0	0
GREENOCK, .	14·3	3·4	17	4	4	0	1	0	0	2	0	1	0	2	2	2	0	0
PERTH, . . .	27·4	1·7	16	1	7	0	0	0	1	0	0	0	0	1	0	1	0	0

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 12.

WEEK ENDING SATURDAY, MARCH 27, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, March 27, 1897, was 22·6 per thousand of estimated population. This rate is 3·0 above that for the corresponding week of last year, but 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 16·1 per thousand; and the highest in Perth, viz., 30·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 152, being 3 above the number for the previous week.

The Mean Temperature was 48°·5, being 6°·9 above that for the week immediately preceding, and 5°·5 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 27, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Mar. 27, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	976	673	152	60·5	36·0	48·5	1·46
GLASGOW, . . .	12,311	714,919	58·072	9·81	444	318	69	57·1	39·9	49·3	2·59
EDINBURGH, . .	8,804	292,364	33·208	12·97	172	130	31	56·0	40·6	49·3	1·22
DUNDEE, . . .	4,162	163,090	39·185	11·94	113	63	8	56·8	37·3	48·1	0·77
ABERDEEN, . .	6,795	138,143	20·330	16·58	94	70	14	60·5	36·0	47·4	0·64
LEITH, . . . .	2,042	75,186	36·830	12·32	43	31	8	56·7	41·0	49·9	0·46
PAISLEY, . . .	3,538	74,206	20·974	16·32	47	24	13	57·7	39·3	48·4	1·93
GREENOCK, . .	1,440	61,475	42·690	11·44	41	19	5	54·5	38·0	47·2	2·94
PERTH, . . . .	2,122	30,524	14·385	19·71	22	18	4	57·5	36·5	48·0	1·11
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	924	572	141	55·6	31·6	43·0	0·99





WEEKLY RETURN  
OF  
BIRTHS, DEATHS, AND MARRIAGES  
IN EIGHT PRINCIPAL TOWNS OF  
SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, APRIL 3, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 3, 1897, was 22·1 per thousand of estimated population. This rate is 3·2 above that for the corresponding week of last year, but 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 15·4 per thousand; and the highest in Glasgow, viz., 24·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 141, being 11 below the number for the previous week.

The Mean Temperature was 36°·5, being 12°·0 below that for the week immediately preceding, and 8°·1 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 3, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Apr. 3, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	964	659	231	54·5	24·6	36·5	0·35
GLASGOW, . . .	12,311	714,919	58·072	9·81	472	331	130	47·2	26·0	36·7	0·12
EDINBURGH, . .	8,804	292,364	33·208	12·97	167	129	29	45·3	26·4	35·9	0·36
DUNDEE, . . .	4,162	163,090	39·185	11·94	109	64	10	45·0	25·9	36·2	0·24
ABERDEEN, . .	6,795	138,143	20·330	16·58	84	55	25	42·6	24·6	34·8	0·62
LEITH, . . . .	2,042	75,186	36·820	12·32	39	25	21	44·8	29·1	36·6	0·85
PAISLEY, . . .	3,538	74,206	20·974	16·32	40	22	10	49·1	27·2	38·0	0·16
GREENOCK, . .	1,440	61,475	42·690	11·44	33	23	3	49·5	27·0	36·8	0·18
PERTH, . . . .	2,122	30,524	14·385	19·71	20	10	3	54·5	26·0	37·1	0·25
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	1004	552	145	56·1	29·0	44·6	0·37



# Week ending Saturday, APRIL 3, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 3, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	22.1	3.5	659	128	150	0	29	2	9	41	6	17	5	141	23	125	45
GLASGOW, .	24.1	4.3	331	69	60	0	15	1	6	28	5	4	2	75	15	71	24
EDINBURGH,	22.9	5.0	129	26	28	0	12	0	3	9	1	3	0	22	2	30	17
DUNDEE, . .	20.4	1.6	64	8	21	0	0	1	0	0	0	4	1	19	2	9	1
ABERDEEN, .	20.7	2.3	55	11	21	0	2	0	0	2	0	2	0	11	1	8	0
LEITH, . . .	17.3	3.5	25	4	7	0	0	0	0	2	0	3	1	4	0	0	1
PAISLEY, . .	15.4	0.0	22	5	7	0	0	0	0	0	0	0	0	2	2	4	2
GREENOCK, .	19.5	0.8	23	3	3	0	0	0	0	0	0	1	0	5	1	2	0
PERTH, . . .	17.0	0.0	10	2	3	0	0	0	0	0	0	0	1	3	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 28, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	18.9	1.8	552	106	115	1	6	6	1	21	4	14	2	105	16	97	23
GLASGOW, .	20.8	2.7	282	56	53	*1	6	6	0	13	2	8	0	60	7	48	9
EDINBURGH,	17.5	0.6	93	15	21	0	0	0	0	0	1	2	0	16	1	20	8
DUNDEE, . .	13.8	0.6	43	8	10	0	0	0	0	1	0	1	0	7	1	5	2
ABERDEEN, .	18.4	2.3	48	11	10	0	0	0	0	4	0	2	0	7	4	9	2
LEITH, . . .	18.2	1.4	26	6	6	0	0	0	1	0	0	1	0	3	2	5	1
PAISLEY, . .	17.8	2.1	25	4	6	0	0	0	0	2	1	0	1	3	1	7	0
GREENOCK, .	16.8	0.8	20	4	4	0	0	0	0	1	0	0	1	6	0	1	1
PERTH, . . .	25.6	0.0	15	2	5	0	0	0	0	0	0	0	0	3	0	2	0

\* Chicken-pox.

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 10, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 10, 1897, was 24·6 per thousand of estimated population. This rate is 5·9 above that for the corresponding week of last year, and 2·5 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 19·5 per thousand; and the highest in Edinburgh, viz., 26·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 147, being 6 above the number for the previous week.

The Mean Temperature was 40°·1, being 3°·6 above that for the week immediately preceding, but 5°·4 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 10, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Apr. 10, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	957	733	177	54·9	26·0	40·1	0·12
GLASGOW, . . .	12,311	714,919	58·072	9·81	499	347	84	54·9	26·1	40·5	0·03
EDINBURGH, . .	8,804	292,364	33·208	12·97	153	150	41	54·0	28·0	40·0	0·06
DUNDEE, . . .	4,162	163,090	39·185	11·94	101	81	12	52·6	28·0	40·1	0·12
ABERDEEN, . .	6,795	138,143	20·330	16·58	70	58	14	53·0	27·6	39·8	0·29
LEITH, . . . .	2,042	75,186	36·820	12·32	44	30	12	52·9	30·1	40·7	0·12
PAISLEY, . . . .	3,538	74,206	20·974	16·32	41	31	7	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	37	23	6	...	...	...	...
PERTH, . . . .	2,122	30,524	14·385	19·71	12	13	1	50·0	26·0	39·6	0·12
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	884	545	233	60·1	27·0	45·5	0·12





**WEEKLY RETURN**  
OF  
**BIRTHS, DEATHS, AND MARRIAGES**  
IN EIGHT PRINCIPAL TOWNS OF  
**SCOTLAND.**

By Authority of the Registrar-General.

**No. 15.                      WEEK ENDING SATURDAY, APRIL 17, 1897.**

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 17, 1897, was 22·3 per thousand of estimated population. This rate is 2·6 above that for the corresponding week of last year, but 2·3 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 18·0 per thousand; and the highest in Edinburgh, viz., 26·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·6 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 151, being 4 above the number for the previous week.

The Mean Temperature was 44°·5, being 4°·4 above that for the week immediately preceding, but 5°·6 below that for the corresponding week of 1896.

**TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 17, 1897, in Eight Principal Towns of Scotland.**

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Apr. 17, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	875	665	239	59·6	29·0	44·5	1·57
GLASGOW, . . .	12,311	714,919	58·072	9·81	417	307	98	57·0	31·9	44·9	2·18
EDINBURGH, . .	8,804	292,364	33·208	12·97	136	146	37	54·0	34·0	44·6	0·66
DUNDEE, . . .	4,162	163,090	39·185	11·94	100	60	55	51·6	31·0	43·2	1·17
ABERDEEN, . .	6,795	138,143	20·330	16·58	73	49	16	59·6	32·7	44·8	1·20
LEITH, . . . .	2,042	75,186	36·820	12·32	48	26	7	54·7	35·3	45·7	0·47
PAISLEY, . . .	3,538	74,206	20·974	16·32	48	32	12	55·8	33·2	44·8	2·31
GREENOCK, . .	1,440	61,475	42·690	11·44	41	30	7	52·0	33·0	43·5	3·11
PERTH, . . . .	2,122	30,524	14·385	19·71	12	15	7	53·5	29·0	44·4	1·50
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	1041	576	293	65·2	34·0	50·1	0·37



# Week ending Saturday, APRIL 17, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 17, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.3	3.6	665	137	137	*1	39	4	6	39	7	12	3	151	21	118	46	4
GLASGOW, .	22.3	3.9	307	70	45	0	19	1	1	22	4	6	2	66	8	44	22	1
EDINBURGH,	26.0	5.7	146	26	35	*1	19	2	4	5	1	0	0	28	5	39	15	0
DUNDEE, . .	19.1	1.3	60	13	14	0	0	0	0	2	1	1	0	21	3	12	3	1
ABERDEEN, .	18.4	1.9	49	7	16	0	1	1	1	2	0	0	0	12	1	8	2	1
LEITH, . . .	18.0	4.8	26	7	6	0	0	0	0	5	0	2	0	2	0	5	0	0
PAISLEY, . .	22.4	0.7	32	9	8	0	0	0	0	0	1	0	0	5	2	6	2	0
GREENOCK, .	25.4	1.7	30	4	7	0	0	0	0	0	0	2	1	10	2	2	2	0
PERTH, . . .	25.6	6.8	15	1	6	0	0	0	0	3	0	1	0	7	0	2	0	1

\* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 11, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.7	3.1	576	128	133	0	20	6	7	29	12	17	4	106	21	106	40	3
GLASGOW, .	21.5	3.5	291	66	54	0	9	2	3	18	7	8	2	63	8	56	16	3
EDINBURGH,	18.6	2.8	99	22	33	0	3	3	1	4	2	2	1	10	4	21	17	0
DUNDEE, . .	21.6	2.9	67	15	18	0	5	0	0	0	1	3	0	15	0	6	5	0
ABERDEEN, .	13.0	2.3	34	6	9	0	0	1	1	3	0	1	1	4	2	7	0	0
LEITH, . . .	21.8	2.1	31	4	12	0	0	0	1	1	1	0	0	7	5	3	1	0
PAISLEY, . .	12.1	3.6	17	4	1	0	1	0	0	3	1	0	0	3	0	7	0	0
GREENOCK, .	17.7	4.2	21	6	1	0	2	0	0	0	0	3	0	1	1	4	0	0
PERTH, . . .	27.4	1.7	16	5	5	0	0	0	1	0	0	0	0	3	1	2	1	0

**WEEKLY RETURN**  
OF  
**BIRTHS, DEATHS, AND MARRIAGES**  
IN EIGHT PRINCIPAL TOWNS OF  
**SCOTLAND.**

By Authority of the Registrar-General.

No. 16.                      WEEK ENDING SATURDAY, APRIL 24, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, April 24, 1897, was 22·6 per thousand of estimated population. This rate is 3·6 above that for the corresponding week of last year, and 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 14·4 per thousand; and the highest in Edinburgh, viz., 29·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 157, being 6 above the number for the previous week.

The Mean Temperature was 44°·3, being 0°·2 below that for the week immediately preceding, and 0°·8 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 24, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Apr. 24, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	1010	673	269	58·2	29·5	44·3	0·11
GLASGOW, . . .	12,311	714,919	58·072	9·81	512	302	150	57·0	31·9	45·0	0·20
EDINBURGH, . .	8,804	292,364	33·208	12·97	164	164	41	57·0	34·2	43·7	0·13
DUNDEE, . . .	4,162	163,090	39·185	11·94	84	61	31	55·0	33·3	44·0	0·05
ABERDEEN, . .	6,795	138,143	20·330	16·58	78	48	15	58·2	33·9	44·1	0·06
LEITH, . . . .	2,042	75,186	36·820	12·32	63	34	11	56·7	35·9	44·1	0·14
PAISLEY, . . .	3,538	74,206	20·974	16·32	50	30	6	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	42	17	10	53·0	34·2	44·3	0·17
PERTH, . . . .	2,122	30,524	14·385	19·71	17	17	5	54·5	29·5	44·6	0·04
Corresponding Week of 1896. — Eight Towns.	33,126	1,518,347	39·824	11·85	1024	554	277	62·7	28·3	45·1	0·55



# Week ending Saturday, APRIL 24, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 24, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	22.6	3.4	673	128	146	0	39	5	2	41	4	11	8	157	27	136	46
GLASGOW, .	22.0	3.2	302	66	48	0	14	1	1	23	2	3	5	76	10	60	20
EDINBURGH,	29.2	7.6	164	22	34	0	23	3	1	13	1	2	0	31	3	44	20
DUNDEE, . .	19.5	1.6	61	14	17	0	0	0	0	0	1	4	2	18	3	9	1
ABERDEEN, .	18.1	1.5	48	12	16	0	1	1	0	1	0	1	1	10	1	7	1
LEITH, . . .	23.5	2.1	34	7	10	0	1	0	0	2	0	0	0	11	2	5	0
PAISLEY, . .	21.0	0.7	30	3	8	0	0	0	0	1	0	0	0	5	1	5	1
GREENOCK, .	14.4	0.8	17	2	5	0	0	0	0	0	0	1	0	2	6	3	1
PERTH, . . .	29.0	1.7	17	2	8	0	0	0	0	1	0	0	0	4	1	3	2

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 18, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	19.0	1.9	554	116	123	0	9	7	1	21	7	11	2	107	15	105	34
GLASGOW, .	19.9	2.0	270	62	48	0	7	2	1	10	3	4	0	50	4	52	16
EDINBURGH,	17.7	1.5	94	18	26	0	0	2	0	3	3	0	0	15	4	23	10
DUNDEE, . .	18.7	1.9	58	13	12	0	2	0	0	1	0	3	1	15	2	12	1
ABERDEEN, .	22.6	3.4	59	9	19	0	0	2	0	5	0	2	0	14	1	11	1
LEITH, . . .	11.2	0.7	16	5	6	0	0	0	0	0	0	1	0	4	2	2	0
PAISLEY, . .	24.3	2.1	34	4	7	0	0	1	0	2	0	0	0	8	0	4	3
GREENOCK, .	11.8	0.8	14	3	1	0	0	0	0	0	0	1	1	1	2	0	2
PERTH, . . .	15.4	1.7	9	2	4	0	0	0	0	0	1	0	0	0	0	1	1

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 17.

WEEK ENDING SATURDAY, MAY 1, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 1, 1897, was 22·0 per thousand of estimated population. This rate is 2·1 above that for the corresponding week of last year, but 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 15·9 per thousand; and the highest in Edinburgh, viz., 30·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·3 per thousand, being 0·9 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 124, being 33 below the number for the previous week.

The Mean Temperature was 45°·6, being 1°·3 above that for the week immediately preceding, but 6°·4 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 1, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending May 1, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	1025	655	281	58·9	32·5	45·6	0·30
GLASGOW, . . .	12,311	714,919	58·072	9·81	491	283	160	58·9	35·0	46·4	0·41
EDINBURGH, . .	8,804	292,364	33·208	12·97	186	169	46	57·3	36·2	46·1	0·16
DUNDEE, . . .	4,162	163,090	39·185	11·94	100	50	21	55·4	33·0	45·2	0·15
ABERDEEN, . .	6,795	138,143	20·330	16·58	92	50	20	55·6	35·3	44·5	0·44
LEITH, . . . .	2,042	75,186	36·820	12·32	48	32	4	56·1	37·1	46·2	0·17
PAISLEY, . . .	3,538	74,206	20·974	16·32	47	32	10	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	43	24	15	55·7	36·0	45·3	0·72
PERTH, . . . .	2,122	30,524	14·385	19·71	18	15	5	58·2	32·5	45·5	0·07
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	1030	580	208	66·5	31·6	52·0	0·06



# Week ending Saturday, MAY 1, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 1, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.0	4.3	655	149	125	0	52	3	6	45	6	15	4	124	19	118	53	4
GLASGOW, .	20.6	3.8	283	69	44	0	12	1	3	24	6	6	1	55	10	51	27	3
EDINBURGH,	30.1	10.5	169	41	31	0	35	2	1	17	0	4	1	31	1	35	21	0
DUNDEE, . .	15.9	1.0	50	7	10	0	0	0	1	2	0	0	0	6	2	9	2	0
ABERDEEN, .	18.8	1.9	50	9	12	0	2	0	1	0	0	2	1	13	1	10	0	0
LEITH, . . .	22.1	2.8	32	10	8	0	2	0	0	1	0	1	1	8	2	3	0	1
PAISLEY, . .	22.4	0.7	32	6	6	0	0	0	0	0	0	1	0	7	1	6	1	0
GREENOCK, .	20.3	0.0	24	4	5	0	0	0	0	0	0	0	0	2	2	2	1	0
PERTH, . . .	25.6	5.1	15	3	9	0	1	0	0	1	0	1	0	2	0	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 25, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.9	2.3	580	136	135	0	9	10	2	30	4	12	2	118	9	103	36	2
GLASGOW, .	20.7	2.6	280	74	49	0	5	4	0	21	2	3	0	60	5	44	14	1
EDINBURGH,	20.5	1.3	109	15	37	0	0	2	0	2	1	2	2	24	1	29	11	0
DUNDEE, . .	17.1	2.6	53	14	9	0	3	2	1	0	0	2	0	12	0	4	3	0
ABERDEEN, .	16.1	1.9	42	7	10	0	0	0	0	4	0	1	0	12	2	10	0	0
LEITH, . . .	22.5	2.1	32	11	12	0	0	1	1	0	0	1	0	7	0	3	1	0
PAISLEY, . .	20.0	2.9	28	10	5	0	0	0	0	2	1	1	0	2	0	3	3	0
GREENOCK, .	21.0	4.2	25	5	6	0	1	1	0	1	0	2	0	1	0	5	3	1
PERTH, . . .	18.8	0.0	11	0	7	0	0	0	0	0	0	0	0	0	1	5	1	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 18.

WEEK ENDING SATURDAY, MAY 8, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 8, 1897, was 20·7 per thousand of estimated population. This rate is 1·7 above that for the corresponding week of last year, but 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·1 per thousand; and the highest in Glasgow, viz., 23·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 1·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 134, being 10 above the number for the previous week.

The Mean Temperature was 45°·5, being 0°·1 below that for the week immediately preceding, and 2°·1 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 8, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year, 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending May 8, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	979	616	274	59·3	30·0	45·5	0·63
GLASGOW, . . .	12,311	714,919	58·072	9·81	486	320	145	55·9	36·1	45·5	1·28
EDINBURGH, . .	8,804	292,364	33·208	12·97	157	129	51	54·9	35·7	45·6	0·24
DUNDEE, . . .	4,162	163,090	39·185	11·94	95	47	23	59·3	32·2	46·0	0·31
ABERDEEN, . .	6,795	138,143	20·330	16·58	90	40	12	59·2	30·0	44·5	0·21
LEITH, . . . .	2,042	75,186	36·820	12·32	60	19	14	56·5	37·1	46·4	0·22
PAISLEY, . . .	3,538	74,206	20·974	16·32	45	25	17	56·3	32·0	45·1	0·92
GREENOCK, . .	1,440	61,475	42·690	11·44	35	23	10	54·0	35·0	44·8	1·58
PERTH, . . . .	2,122	30,524	14·385	19·71	11	13	2	56·0	31·0	46·3	0·29
Corresponding Week of 1896.—Eight Towns.	33,126	1,518,347	39·824	11·85	1046	556	375	63·2	34·0	47·6	0·35



# Week ending Saturday, MAY 8, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 8, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20·7	3·1	616	120	120	0	29	0	6	34	6	18	0	134	20	118	46
GLASGOW, .	23·3	3·6	320	54	51	0	15	0	5	21	3	6	0	73	8	60	20
EDINBURGH,	22·9	4·8	129	32	27	0	12	0	0	9	1	5	0	31	3	27	22
DUNDEE, . .	15·0	2·9	47	9	10	0	1	0	0	2	2	4	0	10	2	8	0
ABERDEEN, .	15·1	0·0	40	4	12	0	0	0	0	0	0	0	0	8	2	14	0
LEITH, . . .	13·1	1·4	19	6	1	0	0	0	0	1	0	1	0	4	2	0	0
PAISLEY, . .	17·5	1·4	25	8	5	0	1	0	1	0	0	0	0	3	1	3	1
GREENOCK, .	19·5	1·7	23	6	6	0	0	0	0	1	0	1	0	4	0	1	2
PERTH, . . .	22·1	1·7	13	1	8	0	0	0	0	0	0	1	0	1	2	5	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 2, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19·0	2·6	556	115	100	0	11	6	2	30	9	18	2	86	15	116	52
GLASGOW, .	19·0	2·7	258	57	36	0	8	3	0	14	2	9	1	42	6	58	29
EDINBURGH,	17·7	2·1	94	15	21	0	0	0	1	4	2	4	0	11	5	26	15
DUNDEE, . .	21·9	2·9	68	14	12	0	2	2	0	2	1	2	0	14	1	4	5
ABERDEEN, .	19·9	3·4	52	13	16	0	0	1	0	7	0	1	0	6	1	11	0
LEITH, . . .	11·9	1·4	17	3	5	0	0	0	1	0	0	1	0	2	0	4	0
PAISLEY, . .	22·8	3·6	32	3	4	0	0	0	0	3	2	0	1	8	1	6	1
GREENOCK, .	18·5	3·4	22	7	2	0	1	0	0	0	2	1	0	2	1	5	1
PERTH, . . .	22·2	0·0	13	3	4	0	0	0	0	0	0	0	0	1	0	2	1

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 19.

WEEK ENDING SATURDAY, MAY 15, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 15, 1897, was 20·8 per thousand of estimated population. This rate is 1·9 above that for the corresponding week of last year, and 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·6 per thousand; and the highest in Edinburgh, viz., 23·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 103, being 31 below the number for the previous week.

The Mean Temperature was 46°·3, being 0°·8 above that for the week immediately preceding, but 7°·3 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 15, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending May 15, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	929	620	102	60·0	29·2	46·3	0·17
GLASGOW, . . .	12,311	714,919	58·072	9·81	467	294	46	59·8	29·7	46·9	0·19
EDINBURGH, . .	8,804	292,364	33·208	12·97	130	133	27	58·9	33·9	46·9	0·00
DUNDEE, . . .	4,162	163,090	39·185	11·94	77	57	9	59·1	32·6	45·5	0·08
ABERDEEN, . .	6,795	138,143	20·330	16·58	111	44	8	59·0	33·1	44·4	0·58
LEITH, . . . .	2,042	75,186	36·820	12·32	43	31	3	59·6	36·5	47·4	0·12
PAISLEY, . . .	3,538	74,206	20·974	16·32	48	30	1	59·2	32·3	47·7	0·14
GREENOCK, . .	1,440	61,475	42·690	11·44	37	23	7	54·5	33·0	45·2	0·15
PERTH, . . . .	2,122	30,524	14·385	19·71	16	8	1	60·0	29·2	46·1	0·09
Corresponding Week of 1896. — Eight Towns.	33,126	1,518,347	39·824	11·85	984	552	124	70·9	34·5	53·6	0·01



# Week ending Saturday, MAY 15, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 15, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·8	3·4	620	127	124	0	41	6	5	29	1	20	5	103	20	117	41	3
GLASGOW, .	21·4	3·8	294	60	52	0	16	4	4	12	1	15	4	46	11	44	17	3
EDINBURGH,	23·7	6·2	133	29	32	0	21	0	0	13	0	1	0	23	2	38	20	0
DUNDEE, . .	18·2	0·3	57	11	12	0	0	0	0	0	0	1	1	10	2	13	1	0
ABERDEEN, .	16·6	0·7	44	9	16	0	0	1	0	0	0	1	0	6	0	12	1	0
LEITH, . . .	21·4	5·5	31	7	1	0	4	0	1	3	0	0	0	7	1	2	1	0
PAISLEY, . .	21·0	0·0	30	7	6	0	0	0	0	0	0	0	0	7	1	5	1	0
GREENOCK, .	19·5	2·5	23	3	3	0	0	1	0	0	0	2	0	3	3	0	0	0
PERTH, . . .	13·6	1·7	8	1	2	0	0	0	0	1	0	0	0	1	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 9, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·9	2·4	552	102	98	0	11	3	3	25	14	13	6	104	22	96	26	5
GLASGOW, .	19·5	2·9	265	48	37	0	7	0	1	17	6	8	1	52	11	44	16	3
EDINBURGH,	17·1	1·5	91	22	16	0	0	1	1	1	4	1	2	15	5	22	6	0
DUNDEE, . .	20·6	2·9	64	11	13	0	3	0	1	2	2	1	0	15	2	12	2	1
ABERDEEN, .	17·6	2·7	46	7	9	0	0	2	0	3	1	1	0	8	1	7	0	1
LEITH, . . .	17·5	2·1	25	3	4	0	0	0	0	0	1	2	1	6	1	3	1	0
PAISLEY, . .	22·1	1·4	31	9	12	0	0	0	0	2	0	0	0	2	0	6	1	0
GREENOCK, .	16·8	0·8	20	2	2	0	1	0	0	0	0	0	1	3	2	1	0	0
PERTH, . . .	17·1	0·0	10	0	5	0	0	0	0	0	0	0	1	3	0	1	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 20. WEEK ENDING SATURDAY, MAY 22, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 22, 1897, was 22·3 per thousand of estimated population. This rate is 3·0 above that for the corresponding week of last year, and 1·5 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 14·4 per thousand; and the highest in Edinburgh, viz., 26·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 131, being 28 above the number for the previous week.

The Mean Temperature was 49°·9, being 3°·6 above that for the week immediately preceding, but 6°·2 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 22, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending May 22, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	952	664	88	69·9	31·8	49·9	0·00
GLASGOW, . . .	12,311	714,919	58·072	9·81	468	305	38	69·9	37·0	52·2	0·00
EDINBURGH, . .	8,804	292,364	33·208	12·97	140	151	19	66·0	40·3	49·9	0·00
DUNDEE, . . .	4,162	163,090	39·185	11·94	86	63	11	62·6	32·2	48·4	0·00
ABERDEEN, . .	6,795	138,143	20·330	16·58	99	50	12	63·8	37·9	47·3	0·00
LEITH, . . . .	2,042	75,186	36·820	12·32	47	30	4	59·2	41·0	48·9	0·00
PAISLEY, . . .	3,538	74,206	20·974	16·32	53	36	0	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	43	17	4	67·0	38·0	52·0	0·00
PERTH, . . . .	2,122	30,524	14·385	19·71	16	12	0	67·0	31·8	50·3	0·00
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	943	563	77	79·4	37·2	56·1	0·05



# Week ending Saturday, MAY 22, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 22, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.3	3.7	664	129	133	0	49	4	5	35	3	14	4	131	20	141	39	6
GLASGOW, .	22.2	3.2	305	69	53	0	15	3	2	16	2	6	3	63	7	60	11	5
EDINBURGH,	26.9	7.8	151	22	23	0	30	1	2	9	1	1	0	25	4	46	22	0
DUNDEE, . .	20.1	2.2	63	11	8	0	0	0	0	3	0	4	0	16	2	7	0	1
ABERDEEN, .	18.8	1.5	50	8	20	0	0	0	1	0	0	3	0	8	1	15	0	0
LEITH, . . .	20.7	4.8	30	10	3	0	4	0	0	3	0	0	0	5	0	3	0	0
PAISLEY, . .	25.2	0.7	36	3	20	0	0	0	0	1	0	0	0	8	3	6	4	0
GREENOCK, .	14.4	0.8	17	3	5	0	0	0	0	1	0	0	0	5	2	1	1	0
PERTH, . . .	20.4	3.4	12	3	1	0	0	0	0	2	0	0	1	1	1	3	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 16, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.3	2.5	563	132	118	0	9	3	1	38	4	17	1	91	20	116	31	0
GLASGOW, .	21.1	3.2	286	73	53	0	6	2	0	24	2	10	0	54	10	51	11	0
EDINBURGH,	18.8	0.9	100	18	26	0	0	0	0	1	2	2	0	11	6	32	16	0
DUNDEE, . .	16.7	1.3	52	14	11	0	1	0	0	3	0	0	0	7	2	12	1	0
ABERDEEN, .	19.9	4.2	52	15	10	0	0	0	0	8	0	3	0	8	2	9	1	0
LEITH, . . .	16.8	2.1	24	2	6	0	0	1	0	1	0	1	0	0	0	7	0	0
PAISLEY, . .	18.5	1.4	26	6	6	0	1	0	0	1	0	0	1	7	0	4	2	0
GREENOCK, .	11.8	0.8	14	1	3	0	1	0	0	0	0	0	0	4	0	1	0	0
PERTH, . . .	15.4	3.4	9	3	3	0	0	0	1	0	0	1	0	0	0	0	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 21. WEEK ENDING SATURDAY, MAY 29, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, May 29, 1897, was 21·7 per thousand of estimated population. This rate is 2·5 above that for the corresponding week of last year, but 0·6 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·2 per thousand; and the highest in Leith, viz., 30·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 126, being 5 below the number for the previous week.

The Mean Temperature was 49°·1, being 0°·8 below that for the week immediately preceding, and 5°·0 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 29, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending May 29, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	992	648	84	66·2	35·0	49·1	1·27
GLASGOW, . . .	12,311	714,919	58·072	9·81	475	278	33	66·2	40·0	51·3	3·01
EDINBURGH, . .	8,804	292,364	33·208	12·97	180	151	16	60·5	39·3	48·2	0·96
DUNDEE, . . .	4,162	163,090	39·185	11·94	86	67	15	60·9	36·7	48·4	0·71
ABERDEEN, . .	6,795	138,143	20·330	16·58	98	52	9	57·2	35·1	46·3	1·07
LEITH, . . . .	2,042	75,186	36·820	12·32	54	44	5	59·9	40·7	48·7	0·88
PAISLEY, . . .	3,538	74,206	20·974	16·32	45	27	1	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	35	23	3	66·2	41·0	51·1	1·35
PERTH, . . . .	2,122	30,524	14·385	19·71	19	6	2	65·5	35·0	49·5	0·93
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	931	560	99	77·0	39·0	54·1	0·64



# Week ending Saturday, MAY 29, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 29, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	21·7	3·1	648	147	138	0	24	3	5	34	4	21	2	126	20	130	45
GLASGOW, .	20·2	2·6	278	60	49	0	4	1	3	18	4	6	2	55	13	57	18
EDINBURGH,	26·9	5·2	151	30	35	0	16	0	2	9	0	2	0	33	1	36	21
DUNDEE, . .	21·4	2·9	67	19	18	0	0	0	0	2	0	7	0	14	2	12	3
ABERDEEN, .	19·6	0·8	52	14	20	0	0	0	0	0	0	2	0	6	1	12	1
LEITH, . . .	30·4	7·6	44	15	5	0	3	1	0	5	0	2	0	6	2	5	0
PAISLEY, . .	18·9	1·4	27	5	4	0	0	0	0	0	0	2	0	7	1	2	1
GREENOCK, .	19·5	1·7	23	4	6	0	1	1	0	0	0	0	0	4	0	4	1
PERTH, . . .	10·2	0·0	6	0	1	0	0	0	0	0	0	0	0	1	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 23, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19·2	2·8	560	108	99	0	21	5	3	29	6	18	3	106	18	111	38
GLASGOW, .	20·9	4·6	283	49	42	0	18	5	1	25	5	9	2	56	11	50	14
EDINBURGH,	17·3	0·9	92	24	20	0	1	0	2	0	1	1	0	21	0	28	19
DUNDEE, . .	17·4	1·6	54	9	7	0	2	0	0	0	0	3	0	5	2	12	0
ABERDEEN, .	16·8	1·9	44	11	14	0	0	0	0	2	0	3	1	7	1	5	0
LEITH, . . .	21·8	0·0	31	7	6	0	0	0	0	0	0	0	0	5	1	5	1
PAISLEY, . .	15·0	2·1	21	4	6	0	0	0	0	2	0	1	0	5	2	5	2
GREENOCK, .	22·7	0·0	27	3	2	0	0	0	0	0	0	0	0	6	1	5	1
PERTH, . . .	13·7	1·7	8	1	2	0	0	0	0	0	0	1	0	1	0	1	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 22.

WEEK ENDING SATURDAY, JUNE 5, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 5, 1897, was 20·3 per thousand of estimated population. This rate is 1·1 above that for the corresponding week of last year, but 1·4 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 10·9 per thousand; and the highest in Perth, viz., 37·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy, amounted to 110, being 16 below the number for the previous week.

The Mean Temperature was 55°·3, being 6°·2 above that for the week immediately preceding, but 0°·8 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 5, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending June 5, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	997	605	341	78·0	41·1	55·3	0·92
GLASGOW, . . .	12,311	714,919	58·072	9·81	458	265	151	77·4	46·9	57·1	2·40
EDINBURGH, . .	8,804	292,364	33·208	12·97	171	137	74	73·4	45·5	54·4	0·09
DUNDEE, . . .	4,162	163,090	39·185	11·94	103	56	26	70·7	43·9	55·8	0·40
ABERDEEN, . . .	6,795	138,143	20·330	16·58	108	29	39	63·8	41·1	52·1	0·30
LEITH, . . . . .	2,042	75,186	36·820	12·32	43	42	16	69·0	46·9	54·4	0·08
PAISLEY, . . . .	3,538	74,206	20·974	16·32	51	32	17	78·0	48·0	57·1	1·50
GREENOCK, . . .	1,440	61,475	42·690	11·44	41	22	7	68·0	47·0	55·2	2·15
PERTH, . . . . .	2,122	30,524	14·385	19·71	22	22	11	69·0	45·0	56·6	0·44
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	1003	560	101	76·9	38·8	56·1	0·01



### Week ending Saturday, JUNE 5, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 5, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20·3	3·1	605	141	120	0	30	2	0	40	3	18	0	110	17	105	45
GLASGOW, .	19·3	2·7	265	60	56	0	6	0	0	21	2	8	0	45	10	42	19
EDINBURGH,	24·4	5·9	137	26	23	0	15	1	0	14	1	2	0	26	5	34	23
DUNDEE, . .	17·9	1·3	56	16	10	0	0	0	0	1	0	3	0	13	0	10	1
ABERDEEN, .	10·9	0·8	29	7	6	0	1	0	0	0	0	1	0	2	0	4	0
LEITH, . . .	29·0	6·9	42	14	5	0	7	1	0	1	0	1	0	12	2	4	0
PAISLEY, . .	22·4	1·4	32	11	7	0	0	0	0	0	0	2	0	5	0	5	0
GREENOCK, .	18·6	2·5	22	4	6	0	1	0	0	1	0	1	0	4	0	1	0
PERTH, . . .	37·5	3·4	22	3	7	0	0	0	0	2	0	0	0	3	0	5	2

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 30, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19·2	2·8	560	109	111	0	20	6	3	27	10	17	3	94	22	114	33
GLASGOW, .	20·9	3·8	283	56	47	0	19	1	2	17	6	6	1	49	12	58	13
EDINBURGH,	15·2	2·3	81	15	18	0	0	2	0	4	2	4	0	13	2	23	12
DUNDEE, . .	22·5	2·6	70	10	20	0	1	1	0	0	1	5	1	8	3	13	0
ABERDEEN, .	16·8	1·9	44	9	9	0	0	0	0	3	1	1	0	9	2	8	0
LEITH, . . .	16·8	1·4	24	6	3	0	0	0	1	0	0	1	0	4	1	2	4
PAISLEY, . .	17·8	2·1	25	7	8	0	0	0	0	3	0	0	1	4	1	5	1
GREENOCK, .	14·3	1·7	17	1	2	0	0	2	0	0	0	0	0	4	1	1	2
PERTH, . . .	27·4	0·0	16	5	4	0	0	0	0	0	0	0	0	3	0	4	1

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 23.

WEEK ENDING SATURDAY, JUNE 12, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 12, 1897, was 20·3 per thousand of estimated population. This rate is 1·1 above that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 11·7 per thousand; and the highest in Edinburgh, viz., 26·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 107, being 3 below the number for the previous week.

The Mean Temperature was 52°·9, being 2°·4 below that for the week immediately preceding, and 1°·3 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 12, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending June 12, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	976	606	563	74·7	36·0	52·9	0·37
GLASGOW, . . .	12,311	714,919	58·072	9·81	459	273	278	68·0	36·9	54·7	0·40
EDINBURGH, . .	8,804	292,364	33·208	12·97	164	148	117	71·0	36·0	52·0	0·24
DUNDEE, . . .	4,162	163,090	39·185	11·94	94	58	23	68·8	40·6	52·5	0·35
ABERDEEN, . .	6,795	138,143	20·330	16·58	94	31	55	70·8	37·2	51·5	0·26
LEITH, . . . .	2,042	75,186	36·820	12·32	59	36	34	72·3	38·4	53·0	0·24
PAISLEY, . . .	3,538	74,206	20·974	16·32	52	27	23	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	44	19	21	74·7	39·5	54·4	0·60
PERTH, . . . .	2,122	30,524	14·385	19·71	10	14	12	64·0	42·0	52·0	0·50
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	994	560	363	76·8	39·0	54·2	1·45



# Week ending Saturday, JUNE 12, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 12, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.		Deaths from Uncertified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	20.3	3.2	606	124	122	1	27	4	2	37	8	15	1	107	16	115	39	2
GLASGOW, .	19.9	2.7	273	50	53	1	7	0	0	14	6	9	0	54	8	49	9	1
EDINBURGH,	26.3	5.2	148	30	26	0	15	3	0	10	0	1	0	27	2	39	24	0
DUNDEE, . .	18.5	2.9	58	13	14	0	0	1	1	2	2	3	0	9	1	10	2	0
ABERDEEN, .	11.7	0.4	31	6	9	0	0	0	0	0	0	1	1	5	2	5	1	0
LEITH, . . .	24.9	9.0	36	11	8	0	4	0	0	9	0	0	0	8	1	3	0	0
PAISLEY, . .	18.9	2.8	27	12	2	0	1	0	1	1	0	1	0	3	1	3	1	0
GREENOCK, .	16.1	0.0	19	1	6	0	0	0	0	0	0	0	0	1	1	3	2	1
PERTH, . . .	23.9	1.7	14	1	4	0	0	0	0	1	0	0	0	0	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 6, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.2	2.8	560	118	111	0	25	8	4	26	4	14	0	93	18	122	36	3
GLASGOW, . .	21.5	4.0	291	65	44	0	23	2	2	19	2	6	0	45	11	65	17	3
EDINBURGH,	14.9	0.9	79	16	29	0	1	1	1	0	1	1	0	12	3	18	15	0
DUNDEE, . .	19.3	1.3	60	18	9	0	1	1	0	1	0	1	0	11	1	11	3	0
ABERDEEN, .	18.7	2.3	49	6	15	0	0	2	1	2	0	1	0	7	1	12	0	0
LEITH, . . .	14.7	1.4	21	6	6	0	0	0	0	0	0	2	0	6	1	5	0	0
PAISLEY, . .	17.8	5.0	25	4	4	0	0	1	0	4	0	2	0	7	0	5	0	0
GREENOCK, .	18.5	2.5	22	3	3	0	0	1	0	0	1	1	0	3	1	2	1	0
PERTH, . . .	22.2	0.0	13	0	1	0	0	0	0	0	0	0	0	2	0	4	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 24.
WEEK ENDING SATURDAY, JUNE 19, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 19, 1897, was 19·4 per thousand of estimated population. This rate is 0·9 above that for the corresponding week of last year, but 0·9 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 11·9 per thousand; and the highest in Leith, viz., 27·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 107, being the same as for the previous week.

The Mean Temperature was 52°·4, being 0°·5 below that for the week immediately preceding, and 4°·5 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 19, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending June 19, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	1053	577	514	73·2	39·7	52·4	3·62
GLASGOW, . . .	12,311	714,919	58·072	9·81	528	258	228	72·7	42·2	53·1	6·04
EDINBURGH, . .	8,804	292,364	33·208	12·97	161	115	115	73·2	40·0	52·1	3·27
DUNDEE, . . .	4,162	163,090	39·185	11·94	96	69	31	68·8	39·7	52·4	4·05
ABERDEEN, . .	6,795	138,143	20·330	16·58	115	45	57	65·1	41·6	51·1	2·54
LEITH, . . . .	2,042	75,186	36·820	12·32	45	39	22	68·0	42·9	52·8	2·73
PAISLEY, . . .	3,538	74,206	20·974	16·32	58	25	28	70·0	41·1	53·2	3·99
GREENOCK, . .	1,440	61,475	42·690	11·44	35	19	19	66·7	40·0	51·8	3·53
PERTH, . . . .	2,122	30,524	14·385	19·71	15	7	14	69·0	40·0	52·7	2·85
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	994	539	565	81·0	46·4	56·9	0·58



# Week ending Saturday, JUNE 19, 1897.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 19, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.4	2.9	577	113	125	0	24	5	1	29	5	23	2	107	21	111	36	0
GLASGOW, .	18.8	2.5	258	51	49	0	5	3	0	13	4	9	0	47	12	48	18	0
EDINBURGH,	20.5	3.7	115	19	27	0	15	0	0	5	0	1	0	21	5	32	15	0
DUNDEE, . .	22.0	3.8	69	15	12	0	0	0	0	5	0	7	0	12	2	8	1	0
ABERDEEN, .	16.9	1.9	45	7	18	0	1	0	1	0	1	2	1	5	1	13	1	0
LEITH, . . .	27.0	7.6	39	13	6	0	3	1	0	5	0	2	1	10	1	2	0	0
PAISLEY, . .	17.5	0.7	25	4	8	0	0	0	0	0	0	1	0	8	0	3	0	0
GREENOCK, .	16.1	2.5	19	4	2	0	0	1	0	1	0	1	0	2	0	3	1	0
PERTH, . . .	11.9	0.0	7	0	3	0	0	0	0	0	0	0	0	2	0	2	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 13, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.5	2.4	539	99	118	0	21	4	1	23	4	16	2	80	23	118	32	3
GLASGOW, .	21.2	3.6	287	63	57	0	20	2	0	17	4	6	1	43	10	61	24	3
EDINBURGH,	14.7	0.9	78	10	16	0	1	0	1	0	0	3	1	9	5	24	5	0
DUNDEE, . .	16.4	1.0	51	9	16	0	0	0	0	0	0	3	0	11	0	9	1	0
ABERDEEN, .	18.4	1.1	48	6	18	0	0	1	0	1	0	1	0	5	5	10	1	0
LEITH, . . .	17.5	0.7	25	4	2	0	0	0	0	0	0	1	0	3	1	4	0	0
PAISLEY, . .	17.1	4.3	24	4	4	0	0	0	0	4	0	2	0	2	1	6	0	0
GREENOCK, .	16.0	1.7	19	2	2	0	0	1	0	1	0	0	0	3	1	3	0	0
PERTH, . . .	12.0	0.0	7	1	3	0	0	0	0	0	0	0	0	4	0	1	1	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 25.

WEEK ENDING SATURDAY, JUNE 26, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, June 26, 1897, was 19·4 per thousand of estimated population. This rate is 0·5 above that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·7 per thousand; and the highest in Perth, viz., 35·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·6 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 101, being 6 below the number for the previous week.

The Mean Temperature was 56°·7, being 4°·3 above that for the week immediately preceding, but 4°·1 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 26, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Proxi- mity in Yards.	Registered during the Week ending June 26, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	982	577	479	73·1	41·8	56·7	0·67
GLASGOW, . . .	12,311	714,919	58·072	9·81	491	249	222	73·1	42·3	58·1	0·86
EDINBURGH, . .	8,804	292,364	33·208	12·97	165	125	115	71·7	42·0	56·7	0·22
DUNDEE, . . .	4,162	163,090	39·185	11·94	89	52	41	68·7	42·2	55·5	0·61
ABERDEEN, . .	6,795	138,143	20·330	16·58	94	42	44	69·3	41·8	58·5	0·31
LEITH, . . . .	2,042	75,186	36·820	12·32	53	35	20	70·8	43·2	56·7	0·76
PAISLEY, . . .	3,538	74,206	20·974	16·32	40	21	15	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	37	32	15	68·0	42·0	55·0	1·01
PERTH, . . . .	2,122	30,524	14·385	19·71	13	21	7	66·5	42·5	56·4	0·94
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	1051	553	488	82·7	49·5	60·8	0·79



# Week ending Saturday, JUNE 26, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 26, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.4	2.3	577	134	112	0	21	4	2	16	6	20	3	101	21	103	41
GLASGOW, .	18.1	1.8	249	50	41	0	2	1	2	10	5	5	2	47	12	40	15
EDINBURGH,	22.2	2.7	125	36	25	0	10	0	0	1	0	4	0	25	3	30	20
DUNDEE, . .	16.6	2.2	52	9	8	0	0	0	0	2	1	4	1	5	2	10	0
ABERDEEN, .	15.8	2.6	42	15	8	0	0	2	0	0	0	5	0	5	0	8	0
LEITH, . . .	24.2	7.6	35	11	9	0	9	0	0	1	0	1	0	6	1	0	2
PAISLEY, . .	14.7	0.0	21	4	6	0	0	0	0	0	0	0	0	5	0	5	2
GREENOCK, .	27.1	3.4	32	6	5	0	0	1	0	2	0	1	0	7	1	4	2
PERTH, . . .	35.8	0.0	21	3	10	0	0	0	0	0	0	0	0	1	2	6	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 20, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.9	2.7	553	143	115	0	33	5	5	16	3	18	1	86	22	114	34
GLASGOW, .	20.3	3.5	275	74	45	0	26	1	2	13	0	5	1	54	12	57	15
EDINBURGH,	15.6	1.9	83	20	24	0	1	1	2	2	0	4	0	12	2	24	7
DUNDEE, . .	17.4	2.6	54	15	6	0	5	0	0	0	1	2	0	5	2	8	3
ABERDEEN, .	16.8	1.5	44	6	16	0	0	1	0	1	0	2	0	4	2	10	1
LEITH, . . .	22.5	2.1	32	7	9	0	0	2	1	0	0	0	0	3	1	2	3
PAISLEY, . .	15.7	1.4	22	7	3	0	0	0	0	0	1	1	0	2	0	4	0
GREENOCK, .	24.4	2.5	29	10	5	0	1	0	0	0	1	1	0	4	3	4	5
PERTH, . . .	23.9	5.1	14	4	7	0	0	0	0	0	0	3	0	2	0	5	0

WEEKLY RETURN  
OF  
BIRTHS, DEATHS, AND MARRIAGES  
IN EIGHT PRINCIPAL TOWNS OF  
SCOTLAND.

By Authority of the Registrar-General.

No. 26. WEEK ENDING SATURDAY, JULY 3, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 3, 1897, was 18·7 per thousand of estimated population. This rate is 1·6 above that for the corresponding week of last year, but 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 11·3 per thousand; and the highest in Leith, viz., 33·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·3 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 85, being 16 below the number for the previous week.

The Mean Temperature was 59°·0, being 2°·3 above that for the week immediately preceding, and 1°·2 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 3, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending July 3, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	1041	557	553	76·8	45·0	59·0	0·17
GLASGOW, . . .	12,311	714,919	58·072	9·81	493	261	244	76·8	50·0	60·5	0·08
EDINBURGH, . .	8,804	292,364	33·208	12·97	178	101	168	71·6	50·3	57·9	0·23
DUNDEE, . . .	4,162	163,090	39·185	11·94	115	54	32	73·8	48·4	57·7	0·03
ABERDEEN, . .	6,795	138,143	20·330	16·58	94	30	44	71·1	45·0	57·5	0·21
LEITH, . . . .	2,042	75,186	36·820	12·32	57	48	28	71·6	51·6	57·6	0·23
PAISLEY, . . .	3,538	74,206	20·974	16·32	46	31	11	74·8	51·0	60·7	0·30
GREENOCK, . .	1,440	61,475	42·690	11·44	43	22	23	75·0	50·0	60·6	0·15
PERTH, . . . .	2,122	30,524	14·385	19·71	15	10	3	73·0	47·5	59·6	0·15
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	949	500	426	76·8	45·0	57·8	0·45



# Week ending Saturday, JULY 3, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 3, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·7	2·6	557	125	105	0	16	5	2	21	10	23	1	85	21	108	47	4
GLASGOW, .	19·0	2·6	261	57	39	0	3	2	2	10	9	10	0	38	12	52	21	3
EDINBURGH,	18·0	2·0	101	26	22	0	4	2	0	3	1	1	0	18	5	30	21	0
DUNDEE, . .	17·2	2·2	54	13	11	0	0	0	0	2	0	5	0	10	0	8	2	0
ABERDEEN, .	11·3	1·5	30	6	9	0	0	0	0	0	0	4	1	3	2	5	1	0
LEITH, . . .	33·2	11·8	48	15	6	0	9	0	0	6	0	2	0	6	1	4	0	0
PAISLEY, . .	21·7	1·4	31	4	6	0	0	1	0	0	0	1	0	8	0	5	0	0
GREENOCK, .	18·6	0·0	22	3	7	0	0	0	0	0	0	0	0	1	1	4	2	0
PERTH, . . .	17·0	0·0	10	1	5	0	0	0	0	0	0	0	0	1	0	0	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 27, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·1	2·8	500	123	98	0	28	3	4	15	4	27	3	72	25	93	22	0
GLASGOW, .	18·6	4·1	252	69	42	0	27	1	1	10	3	14	1	44	11	46	13	0
EDINBURGH,	14·5	1·5	77	14	17	0	0	2	1	1	0	4	1	8	4	21	6	0
DUNDEE, . .	19·6	1·0	61	13	16	0	1	0	1	0	0	1	1	11	3	8	1	0
ABERDEEN, .	15·3	3·1	40	9	6	0	0	0	1	1	0	6	0	3	1	8	0	0
LEITH, . . .	13·3	1·4	19	5	5	0	0	0	0	0	1	1	0	2	1	2	0	0
PAISLEY, . .	16·4	2·1	23	7	4	0	0	0	0	3	0	0	0	1	0	4	2	0
GREENOCK, .	17·7	0·0	21	4	5	0	0	0	0	0	0	0	0	1	5	2	0	0
PERTH, . . .	12·0	1·7	7	2	3	0	0	0	0	0	0	1	0	2	0	2	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 27.

WEEK ENDING SATURDAY, JULY 10, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 10, 1897, was 17·7 per thousand of estimated population. This rate is 1·1 below that for the corresponding week of last year, and 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 11·8 per thousand; and the highest in Dundee, viz., 22·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 66, being 19 below the number for the previous week.

The Mean Temperature was 55°·2, being 3°·8 below that for the week immediately preceding, and 1°·7 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 10, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending July 10, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	987	529	324	72·7	38·6	55·2	0·51
GLASGOW, . . .	12,311	714,919	58·072	9·81	486	230	134	65·2	48·0	55·3	0·79
EDINBURGH, . .	8,804	292,364	33·208	12·97	158	103	71	66·0	43·3	55·2	0·14
DUNDEE, . . .	4,162	163,090	39·185	11·94	103	71	18	72·7	42·1	56·2	0·16
ABERDEEN, . .	6,795	138,143	20·330	16·58	78	38	30	62·8	38·6	54·4	0·38
LEITH, . . . .	2,042	75,186	36·820	12·32	44	32	7	68·0	43·0	56·4	0·14
PAISLEY, . . .	3,538	74,206	20·974	16·32	45	31	21	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	56	14	26	62·0	43·0	53·4	1·82
PERTH, . . . .	2,122	30,524	14·385	19·71	17	10	17	67·0	41·0	55·1	0·14
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	914	548	474	76·2	41·0	56·9	0·35



# Week ending Saturday, JULY 10, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 10, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17·7	2·8	529	131	110	0	17	7	0	20	10	23	3	66	20	106	25
GLASGOW, .	16·7	2·5	230	52	39	0	2	2	0	6	5	19	0	30	6	40	9
EDINBURGH,	18·3	3·7	103	28	25	0	9	4	0	4	0	4	0	16	4	29	11
DUNDEE, . .	22·6	2·9	71	18	14	0	0	0	0	4	3	2	0	9	4	13	2
ABERDEEN, .	14·3	1·1	38	12	15	0	0	1	0	0	0	2	1	3	1	8	0
LEITH, . . .	22·1	8·3	32	11	4	0	6	0	0	5	0	1	0	2	2	5	1
PAISLEY, . .	21·7	0·7	31	7	6	0	0	0	0	0	1	0	1	4	2	8	1
GREENOCK, .	11·8	0·8	14	1	5	0	0	0	0	1	0	0	1	1	0	1	0
PERTH, . . .	17·0	1·7	10	2	2	0	0	0	0	0	1	0	0	1	1	2	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 4, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18·8	3·7	548	124	112	0	38	6	9	22	9	25	4	80	21	113	33
GLASGOW, .	21·8	5·5	295	68	41	0	33	4	6	16	5	11	3	39	11	60	13
EDINBURGH,	15·4	1·5	82	15	20	0	2	0	2	1	0	3	1	12	7	21	15
DUNDEE, . .	19·0	2·9	59	16	16	0	3	1	0	0	2	3	0	13	0	10	2
ABERDEEN, .	12·6	0·8	33	8	12	0	0	1	0	0	0	1	0	7	0	7	0
LEITH, . . .	17·5	5·6	25	8	5	0	0	0	1	0	1	6	0	4	0	4	1
PAISLEY, . .	18·5	4·3	26	4	9	0	0	0	0	5	1	0	0	2	0	7	1
GREENOCK, .	15·2	0·0	18	4	4	0	0	0	0	0	0	0	0	2	2	1	1
PERTH, . . .	17·1	1·7	10	1	5	0	0	0	0	0	0	1	0	1	1	3	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 28.

WEEK ENDING SATURDAY, JULY 17, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 17, 1897, was 17·9 per thousand of estimated population. This rate is 0·9 below that for the corresponding week of last year, but 0·2 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 12·8 per thousand; and the highest in Perth, viz., 32·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 66, being the same as for the previous week.

The Mean Temperature was 60°·0, being 4°·8 above that for the week immediately preceding, and 1°·9 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 17, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Proximity in Yards.	Registered during the Week ending July 17, 1897.			Temperature.			Rainfall in Inches
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	924	534	361	86·5	40·0	60·0	0·00
GLASGOW, . . .	12,311	714,919	58·072	9·81	418	214	200	83·3	40·0	62·2	0·00
EDINBURGH, . .	8,804	292,364	33·208	12·97	145	120	56	81·0	43·6	60·1	0·00
DUNDEE, . . .	4,162	163,090	39·185	11·94	96	63	20	80·9	43·5	58·6	0·00
ABERDEEN, . .	6,795	138,143	20·330	16·58	112	34	38	74·0	43·0	55·5	0·00
LEITH, . . . .	2,042	75,186	36·820	12·32	45	36	7	80·3	45·2	59·1	0·00
PAISLEY, . . .	3,538	74,206	20·974	16·32	46	29	23	85·0	43·2	62·4	0·00
GREENOCK, . .	1,440	61,475	42·690	11·44	35	19	11	81·0	44·0	60·9	0·00
PERTH, . . . .	2,122	30,524	14·385	19·71	27	19	6	86·5	41·0	60·9	0·00
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	901	549	279	75·0	44·4	58·1	1·51



# Week ending Saturday, JULY 17, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 17, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17.9	2.7	534	125	111	0	12	7	1	23	3	34	2	66	17	98	43	0
GLASGOW, .	15.6	2.4	214	47	40	0	0	2	1	12	3	15	0	29	7	47	14	0
EDINBURGH,	21.3	2.7	120	29	23	0	6	1	0	5	0	3	1	13	2	29	21	0
DUNDEE, . .	20.1	2.2	63	21	13	0	0	0	0	1	0	6	0	14	3	5	2	0
ABERDEEN, .	12.8	2.6	34	5	9	0	0	3	0	1	0	3	0	4	3	6	2	0
LEITH, . . .	24.9	7.6	36	11	7	0	6	0	0	2	0	3	1	3	2	2	1	0
PAISLEY, . .	20.3	1.4	29	5	6	0	0	0	0	1	0	1	0	2	0	2	0	0
GREENOCK, .	16.1	3.4	19	7	5	0	0	0	0	1	0	3	0	1	0	1	2	0
PERTH, . . .	32.4	1.7	19	0	8	0	0	1	0	0	0	0	0	0	0	6	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 11, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18.8	3.1	549	116	106	0	39	9	0	15	3	25	3	85	25	106	41	1
GLASGOW, .	20.9	5.1	283	54	46	0	38	4	0	10	3	14	0	46	9	53	18	1
EDINBURGH,	17.5	1.7	93	24	20	0	0	2	0	3	0	4	1	12	6	25	14	0
DUNDEE, . .	17.7	1.0	55	15	10	0	1	0	0	0	0	2	1	10	3	7	3	0
ABERDEEN, .	14.9	1.1	39	7	10	0	0	2	0	0	0	1	1	7	1	9	0	0
LEITH, . . .	15.4	1.4	22	1	4	0	0	1	0	0	0	1	0	1	4	2	2	0
PAISLEY, . .	15.0	2.1	21	6	5	0	0	0	0	2	0	1	0	3	0	5	1	0
GREENOCK, .	21.0	1.7	25	7	7	0	0	0	0	0	0	2	0	3	2	3	3	0
PERTH, . . .	18.8	0.0	11	2	4	0	0	0	0	0	0	0	0	3	0	2	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

## SCOTLAND.

By Authority of the Registrar-General.

No. 29.                      WEEK ENDING SATURDAY, JULY 24, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 24, 1897, was 19·5 per thousand of estimated population. This rate is 1·4 above that for the corresponding week of last year, and 1·6 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 12·8 per thousand; and the highest in Leith, viz., 25·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 84, being 18 above the number for last week.

The Mean Temperature was 60°·5, being 0°·5 above that for the week immediately preceding, and 0°·3 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 24, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending July 24, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	952	580	566	79·5	41·0	60·5	1·17
GLASGOW, . . .	12,311	714,919	58·072	9·81	440	276	360	79·5	45·6	61·9	1·40
EDINBURGH, . .	8,804	292,364	33·208	12·97	167	116	58	75·3	49·0	60·2	1·27
DUNDEE, . . .	4,162	163,090	39·185	11·94	102	58	48	76·1	46·8	59·7	2·00
ABERDEEN, . .	6,795	138,143	20·330	16·58	89	34	49	70·2	41·0	58·4	0·89
LEITH, . . . .	2,042	75,186	36·820	12·32	30	37	14	75·9	49·8	60·3	1·40
PAISLEY, . . .	3,538	74,206	20·974	16·32	61	27	22	79·0	49·8	62·3	0·80
GREENOCK, . .	1,440	61,475	42·690	11·44	38	18	12	76·7	49·2	61·9	0·52
PERTH, . . . .	2,122	30,524	14·385	19·71	25	14	3	76·0	44·2	59·3	1·06
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	876	529	321	75·6	43·3	60·2	0·12



# Week ending Saturday, JULY 24, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 24, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.5	3.4	580	143	121	0	15	5	1	37	7	35	3	84	18	98	38	9
GLASGOW, .	20.1	3.5	276	73	47	0	4	3	0	19	2	20	0	38	12	44	23	8
EDINBURGH,	20.6	2.8	116	27	28	0	3	2	1	7	1	2	3	20	5	28	11	0
DUNDEE, . .	18.5	4.5	58	15	15	0	0	0	0	6	1	7	0	8	0	10	1	0
ABERDEEN, .	12.8	0.4	34	10	7	0	0	0	0	0	1	0	0	4	1	4	1	1
LEITH, . . .	25.6	9.0	37	6	8	0	8	0	0	3	1	1	0	8	0	6	0	0
PAISLEY, . .	18.9	2.8	27	6	5	0	0	0	0	2	0	2	0	1	0	1	0	0
GREENOCK, .	15.2	2.5	18	6	5	0	0	0	0	0	0	3	0	3	0	1	2	0
PERTH, . . .	23.9	1.7	14	0	6	0	0	0	0	0	1	0	0	2	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 18, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from														
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.		
In Eight Towns,	18.1	4.1	529	107	92	0	39	10	2	24	9	37	1	65	18	108	30	1		
GLASGOW, .	19.1	5.3	259	55	30	0	36	1	0	11	5	19	1	40	13	53	14	1		
EDINBURGH,	15.6	2.4	83	15	19	0	2	3	1	4	1	2	0	10	2	17	9	0		
DUNDEE, . .	17.4	2.6	54	11	8	0	1	0	0	0	1	6	0	6	0	13	1	0		
ABERDEEN, .	14.5	1.9	38	6	15	0	0	2	0	1	0	2	0	4	0	8	1	0		
LEITH, . . .	15.4	4.9	22	4	5	0	0	2	1	0	2	2	0	0	1	4	0	0		
PAISLEY, . .	19.3	5.0	27	6	6	0	0	0	0	7	0	0	0	1	1	9	2	0		
GREENOCK, .	26.1	5.9	31	5	3	0	0	2	0	1	0	4	0	4	0	2	2	0		
PERTH, . . .	25.6	3.4	15	5	6	0	0	0	0	0	0	2	0	0	1	2	1	0		

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 30.

WEEK ENDING SATURDAY, JULY 31, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, July 31, 1897, was 18·2 per thousand of estimated population. This rate is 0·1 below that for the corresponding week of last year, and 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 13·5 per thousand; and the highest in Leith, viz., 21·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 64, being 20 below the number for the previous week.

The Mean Temperature was 61°·6, being 1°·1 above that for the week immediately preceding, and 3°·1 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 31, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending July 31, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	918	542	379	77·6	50·0	61·6	0·47
GLASGOW, . . .	12,311	714,919	58·072	9·81	475	256	81	76·9	53·1	61·7	0·66
EDINBURGH, . .	8,804	292,364	33·208	12·97	146	101	89	74·8	50·7	61·6	0·40
DUNDEE, . . .	4,162	163,090	39·185	11·94	76	65	136	77·6	50·9	62·1	0·12
ABERDEEN, . .	6,795	138,143	20·330	16·58	83	36	33	70·6	50·0	60·4	0·30
LEITH, . . . .	2,042	75,186	36·820	12·32	44	31	14	76·7	52·2	62·4	0·75
PAISLEY, . . .	3,538	74,206	20·974	16·32	38	21	8	75·8	53·0	62·2	0·37
GREENOCK, . .	1,440	61,475	42·690	11·44	41	23	12	69·7	51·2	59·8	0·90
PERTH, . . . .	2,122	30,524	14·385	19·71	15	9	6	74·5	51·0	62·8	0·25
Corresponding Week of 1896. — Eight Towns.	33,126	1,518,347	39·824	11·85	924	534	589	78·0	42·0	58·5	1·51



# Week ending Saturday, JULY 31, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 31, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.2	3.0	542	156	107	0	5	5	3	22	3	51	2	64	27	113	30
GLASGOW, .	18.6	3.4	256	81	43	0	1	0	2	14	1	29	0	24	12	53	14
EDINBURGH,	18.0	1.6	101	23	21	0	0	4	1	1	0	3	1	10	7	35	7
DUNDEE, . .	20.7	1.9	65	18	18	0	0	1	0	1	0	4	0	11	3	10	3
ABERDEEN, .	13.5	1.5	36	9	14	0	0	0	0	0	0	4	0	5	3	9	0
LEITH, . . .	21.4	6.9	31	7	3	0	4	0	0	4	0	2	1	7	0	0	0
PAISLEY, . .	14.7	1.4	21	7	3	0	0	0	0	0	0	2	0	2	0	3	3
GREENOCK, .	19.5	8.5	23	8	3	0	0	0	0	2	2	6	0	4	1	2	3
PERTH, . . .	15.3	1.7	9	3	2	0	0	0	0	0	0	1	0	1	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 25, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.3	3.8	534	140	99	0	25	3	4	18	3	57	3	58	16	97	30
GLASGOW, .	20.7	4.8	280	67	49	0	22	2	0	12	1	28	2	36	8	51	17
EDINBURGH,	15.4	2.1	82	21	16	0	2	0	2	1	0	6	0	8	2	24	9
DUNDEE, . .	19.6	1.9	61	18	10	0	0	0	1	0	0	5	1	11	3	8	1
ABERDEEN, .	11.9	2.7	31	11	8	0	0	1	0	2	0	4	0	1	0	5	0
LEITH, . . .	15.4	2.8	22	7	5	0	0	0	0	0	0	4	0	2	1	4	1
PAISLEY, . .	20.0	5.7	28	6	5	0	0	0	1	3	1	3	0	0	1	4	1
GREENOCK, .	17.7	5.9	21	7	4	0	1	0	0	0	1	5	0	0	0	1	1
PERTH, . . .	15.4	3.4	9	3	2	0	0	0	0	0	0	2	0	0	1	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 31.

WEEK ENDING SATURDAY, AUGUST 7, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 7, 1897, was 20·5 per thousand of estimated population. This rate is 2·9 above that for the corresponding week of last year, and 2·3 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 12·8 per thousand; and the highest in Leith, viz., 26·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·6 per thousand, being 1·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 70, being 6 above the number for the previous week.

The Mean Temperature was 64°·3, being 2°·7 above that for the week immediately preceding, and 7°·6 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 7, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Aug. 7, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	926	612	301	81·4	50·0	64·3	0·76
GLASGOW, . . .	12,311	714,919	58·072	9·81	444	290	83	81·4	53·2	66·4	0·30
EDINBURGH, . .	8,804	292,364	33·208	12·97	160	110	117	78·1	54·0	65·0	1·69
DUNDEE, . . .	4,162	163,090	39·185	11·94	89	76	14	78·4	51·6	63·7	0·36
ABERDEEN, . .	6,795	138,143	20·330	16·58	84	34	27	75·0	51·7	61·6	0·45
LEITH, . . . .	2,042	75,186	36·820	12·32	55	38	29	74·0	54·9	63·9	1·82
PAISLEY, . . .	3,538	74,206	20·974	16·32	40	26	14	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	36	26	8	77·0	57·0	65·5	0·50
PERTH, . . . .	2,122	30,524	14·385	19·71	18	12	9	75·5	50·0	63·8	0·18
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	933	514	394	71·2	40·5	56·7	0·58



# Week ending Saturday, AUGUST 7, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 7, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20.5	4.6	612	195	95	0	19	8	1	22	0	87	1	70	26	112	38
GLASGOW, .	21.1	6.0	290	106	38	0	3	2	0	13	0	65	0	25	15	50	19
EDINBURGH,	19.6	1.1	110	23	24	0	4	1	0	0	0	1	0	18	6	33	14
DUNDEE, . .	24.2	4.5	76	18	10	0	0	2	1	3	0	8	1	10	1	14	2
ABERDEEN, .	12.8	1.1	34	9	10	0	0	1	0	1	0	1	0	6	0	8	0
LEITH, . . .	26.3	14.5	38	12	1	0	12	1	0	5	0	3	0	2	1	0	0
PAISLEY, . .	18.2	3.5	26	6	4	0	0	0	0	0	0	5	0	5	1	1	2
GREENOCK, .	22.0	2.5	26	12	7	0	0	0	0	0	0	3	0	3	0	3	0
PERTH, . . .	20.4	3.4	12	4	1	0	0	1	0	0	0	1	0	1	2	3	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 1, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.6	3.2	514	132	109	0	33	3	0	10	6	41	3	65	21	99	23
GLASGOW, .	19.4	4.7	263	70	46	0	28	1	0	8	4	23	3	37	9	48	18
EDINBURGH,	15.2	2.1	81	16	18	0	2	1	0	0	2	6	0	7	4	19	6
DUNDEE, . .	16.7	2.3	52	13	13	0	2	1	0	0	0	4	0	5	5	11	1
ABERDEEN, .	15.7	1.1	41	10	10	0	0	0	0	0	0	3	0	6	0	7	0
LEITH, . . .	16.1	0.0	23	7	6	0	0	0	0	0	0	0	0	4	1	5	3
PAISLEY, . .	12.1	1.4	17	4	5	0	0	0	0	0	0	2	0	1	0	5	0
GREENOCK, .	23.6	5.1	28	9	7	0	1	0	0	2	0	3	0	4	2	2	0
PERTH, . . .	15.4	0.0	9	3	4	0	0	0	0	0	0	0	0	1	0	2	0

WEEKLY RETURN  
OF  
BIRTHS, DEATHS, AND MARRIAGES  
IN EIGHT PRINCIPAL TOWNS OF  
SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 14, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 14, 1897, was 19·0 per thousand of estimated population. This rate is 3·6 above that for the corresponding week of last year, but 1·5 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 10·2 per thousand; and the highest in Perth, viz., 25·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 5·2 per thousand, being 0·6 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 54, being 16 below the number for the previous week.

The Mean Temperature was 60°·3, being 4°·0 below that for the week immediately preceding, but 4°·4 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 14, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Aug. 14, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	884	565	189	74·9	41·2	60·3	1·83
GLASGOW, . . .	12,311	714,919	58·072	9·81	407	311	83	74·3	41·2	59·6	3·63
EDINBURGH, . .	8,804	292,364	33·208	12·97	171	81	34	73·0	49·9	60·5	1·56
DUNDEE, . . .	4,162	163,090	39·185	11·94	94	52	13	74·2	49·8	60·2	1·29
ABERDEEN, . .	6,795	138,143	20·330	16·58	81	27	13	69·1	52·0	59·9	1·15
LEITH, . . . .	2,042	75,186	36·820	12·32	42	28	9	74·4	53·3	61·6	1·78
PAISLEY, . . .	3,538	74,206	20·974	16·32	36	23	32	74·9	50·2	60·4	2·73
GREENOCK, . .	1,440	61,475	42·690	11·44	39	28	1	70·0	50·0	59·7	1·75
PERTH, . . . .	2,122	30,524	14·385	19·71	14	15	4	74·8	48·0	60·4	0·77
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	876	449	242	68·9	41·0	55·9	0·35





# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 21, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 21, 1897, was 21·6 per thousand of estimated population. This rate is 5·5 above that for the corresponding week of last year, and 2·6 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·6 per thousand; and the highest in Greenock, viz., 31·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 6·3 per thousand, being 1·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 62, being 8 above the number for the previous week.

The Mean Temperature was 58°·3, being 2°·0 below that for the week immediately preceding, but 0°·5 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 21, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Aug. 21, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	1004	643	196	73·0	41·2	58·3	1·25
GLASGOW, . . .	12,311	714,919	58·072	9·81	498	320	88	66·9	48·0	58·4	2·29
EDINBURGH, . .	8,804	292,364	33·208	12·97	161	96	40	68·4	48·6	58·8	0·78
DUNDEE, . . .	4,162	163,090	39·185	11·94	92	76	12	66·9	44·0	57·9	0·90
ABERDEEN, . .	6,795	138,143	20·330	16·58	72	45	22	73·0	41·2	58·7	0·76
LEITH, . . . .	2,042	75,186	36·820	12·32	68	29	8	67·9	50·0	59·4	0·71
PAISLEY, . . .	3,538	74,206	20·974	16·32	58	32	20	66·6	48·6	58·3	1·28
GREENOCK, . .	1,440	61,475	42·690	11·44	32	37	5	64·0	49·0	57·1	2·38
PERTH, . . . .	2,122	30,524	14·385	19·71	23	8	1	69·0	42·5	57·9	0·94
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	957	469	176	75·5	36·0	57·8	0·51



TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from										Deaths in Public Institutions.		Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	21·6	6·3	643	234	109	*1	6	5	4	21	4	147	0	62	27	102	36	4	
GLASGOW, .	23·3	8·2	320	123	37	0	1	4	0	16	3	89	0	29	17	54	19	3	
EDINBURGH,	17·1	2·7	96	34	23	*1	1	1	2	2	0	8	0	10	3	21	11	0	
DUNDEE, . .	24·2	3·5	76	25	20	0	0	0	1	2	0	8	0	9	0	13	0	0	
ABERDEEN, .	16·9	2·3	45	10	11	0	0	0	1	0	0	5	0	4	3	8	1	0	
LEITH, . . .	20·1	6·2	29	12	6	0	3	0	0	0	0	6	0	6	0	1	0	0	
PAISLEY, . .	22·4	6·3	32	7	7	0	1	0	0	0	1	7	0	2	2	4	4	1	
GREENOCK, .	31·3	18·6	37	21	2	0	0	0	0	1	0	21	0	2	1	1	1	0	
PERTH, . . .	13·6	5·1	8	2	3	0	0	0	0	0	0	3	0	0	1	0	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, August 15, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.1	2.5	469	117	91	0	20	3	9	11	2	28	3	56	17	98	35	2
GLASGOW, .	17.3	3.0	234	65	34	0	17	1	2	8	0	13	1	32	10	41	19	2
EDINBURGH,	16.2	1.9	86	14	19	0	1	1	2	1	1	4	0	8	1	26	8	0
DUNDEE, . .	14.5	3.5	45	12	7	0	2	0	3	0	0	6	0	6	1	9	2	0
ABERDEEN, .	14.5	0.8	38	6	11	0	0	1	0	0	0	1	2	2	3	8	1	0
LEITH, . . .	7.0	2.1	10	3	2	0	0	0	1	0	0	2	0	0	0	0	0	0
PAISLEY, . .	20.7	2.9	29	8	9	0	0	0	0	2	1	1	0	6	1	4	2	0
GREENOCK, .	12.6	1.7	15	7	4	0	0	0	1	0	0	1	0	2	0	2	3	0
PERTH, . . .	20.5	0.0	12	2	5	0	0	0	0	0	0	0	0	0	1	8	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 28, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 28, 1897, was 19·6 per thousand of estimated population. This rate is 3·1 above that for the corresponding week of last year, but 2·0 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 17·3 per thousand; and the highest in Paisley, viz., 23·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·6 per thousand, being 1·7 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 71, being 9 above the number for the previous week.

The Mean Temperature was 58°·3, being the same as that for the week immediately preceding, but 1°·6 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 28, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Aug. 28, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	867	585	199	72·2	43·8	58·3	0·37
GLASGOW, . . .	12,311	714,919	58·072	9·81	414	271	97	72·2	45·5	58·1	0·26
EDINBURGH, . .	8,804	292,364	33·208	12·97	160	98	47	68·9	49·0	58·4	0·29
DUNDEE, . . .	4,162	163,090	39·185	11·94	69	64	14	70·8	44·1	57·7	0·45
ABERDEEN, . .	6,795	138,143	20·330	16·53	75	54	20	69·8	43·8	58·7	0·49
LEITH, . . . .	2,042	75,186	36·820	12·32	53	25	12	69·2	50·3	59·2	0·20
PAISLEY, . . .	3,538	74,206	20·974	16·32	46	34	2	69·5	46·2	58·3	0·24
GREENOCK, . .	1,440	61,475	42·690	11·44	43	28	5	68·2	47·5	57·7	0·61
PERTH, . . . .	2,122	30,524	14·385	19·71	7	11	2	69·5	46·0	58·4	0·43
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	891	482	215	68·0	40·0	56·7	0·27



# Week ending Saturday, AUGUST 28, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, August 28, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.6	4.6	58.5	198	92	0	2	7	1	23	8	96	7	71	19	118	29
GLASGOW, .	19.7	5.0	27.1	94	28	0	0	2	0	12	5	50	2	33	10	54	16
EDINBURGH,	17.4	3.0	9.8	30	19	0	0	4	0	0	1	12	0	12	3	33	5
DUNDEE, . .	20.4	4.8	6.4	23	10	0	0	0	1	5	0	9	0	8	2	8	0
ABERDEEN, .	20.3	1.5	5.4	13	13	0	0	0	0	1	1	2	4	7	3	12	2
LEITH, . . .	17.3	6.2	2.5	9	5	0	2	0	0	2	1	4	0	1	0	4	0
PAISLEY, . .	23.8	7.0	3.4	13	8	0	0	0	0	0	0	10	0	8	0	3	3
GREENOCK, .	23.7	10.2	2.8	14	4	0	0	0	0	3	0	9	1	2	0	0	2
PERTH, . . .	18.7	1.7	1.1	2	5	0	0	1	0	0	0	0	0	0	1	4	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, August 22, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16.5	3.0	48.2	116	88	0	15	7	2	18	4	41	6	61	23	79	25
GLASGOW, .	16.5	3.5	22.4	58	33	0	13	2	0	11	1	21	2	35	14	33	10
EDINBURGH,	18.1	3.9	9.6	22	21	0	2	2	1	5	2	9	0	12	3	23	8
DUNDEE, . .	13.8	1.6	4.3	10	6	0	0	0	0	0	0	5	1	8	2	8	0
ABERDEEN, .	14.5	1.5	3.8	6	12	0	0	1	1	1	0	1	0	2	1	6	0
LEITH, . . .	14.7	2.1	2.1	8	5	0	0	1	0	0	0	2	1	3	0	1	0
PAISLEY, . .	22.8	2.9	3.2	6	8	0	0	0	0	1	1	2	2	1	1	3	3
GREENOCK, .	13.5	0.8	1.6	3	1	0	0	1	0	0	0	0	0	0	0	2	2
PERTH, . . .	20.5	1.7	1.2	3	2	0	0	0	0	0	0	1	0	0	2	3	2

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 35.                      WEEK ENDING SATURDAY, SEPTEMBER 4, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 4, 1897, was 18·1 per thousand of estimated population. This rate is 1·8 above that for the corresponding week of last year, but 1·5 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 6·8 per thousand; and the highest in Dundee, viz., 23·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·3 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 66, being 5 below the number for the previous week.

The Mean Temperature was 55°·0, being 3°·3 below that for the week immediately preceding, and 0°·6 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 4, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Sept. 4, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	881	538	267	69·2	34·0	55·0	1·20
GLASGOW, . . .	12,311	714,919	58·072	9·81	427	248	152	65·8	38·8	54·8	1·87
EDINBURGH, . .	8,804	292,364	33·208	12·97	141	85	52	66·9	40·6	55·0	0·96
DUNDEE, . . .	4,162	163,090	39·185	11·94	105	74	21	65·0	38·0	54·9	0·72
ABERDEEN, . .	6,795	138,143	20·330	16·58	80	42	20	69·2	35·0	54·0	0·38
LEITH, . . . .	2,042	75,186	36·820	12·32	40	34	9	65·2	41·7	55·9	0·60
PAISLEY, . . .	3,538	74,206	20·974	16·32	28	32	4	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	41	19	4	65·7	39·0	54·8	2·81
PERTH, . . . .	2,122	30,524	14·385	19·71	19	4	5	66·0	34·0	55·3	1·06
Corresponding Week of 1896.—Eight Towns.	33,126	1,518,347	39·824	11·85	887	476	183	69·0	37·0	55·6	0·94



# Week ending Saturday, SEPTEMBER 4, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 4, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	18.1	4.3	538	180	92	1	5	10	4	19	4	84	3	66	16	88	38	2		
GLASGOW, .	18.0	4.2	248	89	36	1	1	2	1	13	2	38	1	34	4	38	23	1		
EDINBURGH,	15.1	3.2	85	24	15	0	1	4	0	1	0	12	0	6	5	22	10	0		
DUNDEE, . .	23.6	5.4	74	27	16	0	0	3	0	4	1	9	0	6	2	16	2	0		
ABERDEEN, .	15.8	2.3	42	10	10	0	0	0	0	0	0	6	1	8	1	7	2	0		
LEITH, . . .	23.5	9.7	34	14	2	0	3	0	1	1	1	8	1	6	1	2	0	1		
PAISLEY, . .	22.4	8.4	32	9	7	0	0	1	2	0	0	9	0	2	1	2	0	0		
GREENOCK, .	16.1	1.7	19	7	6	0	0	0	0	0	0	2	0	3	2	1	1	0		
PERTH, . . .	6.8	0.0	4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 29, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	16.3	3.2	476	117	101	0	14	8	2	13	5	51	2	56	30	92	26	1		
GLASGOW, .	18.1	3.5	246	57	42	0	12	2	0	8	4	22	0	28	18	59	14	1		
EDINBURGH,	15.3	2.3	81	22	25	0	2	0	1	2	0	7	0	6	5	14	5	0		
DUNDEE, . .	14.8	2.9	46	12	7	0	0	0	1	1	0	7	0	4	3	6	2	0		
ABERDEEN, .	12.6	3.1	33	8	9	0	0	3	0	2	0	3	2	6	2	6	1	0		
LEITH, . . .	13.3	3.5	19	5	7	0	0	1	0	0	1	3	0	3	1	3	1	0		
PAISLEY, . .	15.7	4.3	22	5	6	0	0	2	0	0	0	4	0	4	0	2	1	0		
GREENOCK, .	14.3	4.2	17	6	3	0	0	0	0	0	0	5	0	1	1	1	2	0		
PERTH, . . .	20.5	0.0	12	2	2	0	0	0	0	0	0	0	0	4	0	1	0	0		

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 36.

WEEK ENDING SATURDAY, SEPTEMBER 11, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 11, 1897, was 18·3 per thousand of estimated population. This rate is 0·2 above that for the corresponding week of last year, and also for that of the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 13·3 per thousand; and the highest in Greenock, viz., 22·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 1·0 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 72, being 6 above the number for the previous week.

The Mean Temperature was 49°·4, being 5°·6 below that for the week immediately preceding, and 8°·3 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 11, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Sept. 11, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	848	545	208	63·8	32·0	49·4	0·25
GLASGOW, . . .	12,311	714,919	58·072	9·81	416	261	105	63·0	33·9	49·5	0·10
EDINBURGH, . .	8,804	292,364	33·208	12·97	123	112	52	62·5	38·7	50·9	0·09
DUNDEE, . . .	4,162	163,090	39·185	11·94	83	49	13	63·8	35·5	48·4	0·15
ABERDEEN, . .	6,795	138,143	20·330	16·58	85	43	13	61·2	36·1	47·3	0·18
LEITH, . . . .	2,042	75,186	36·820	12·32	51	26	12	63·6	40·4	52·0	0·35
PAISLEY, . . .	3,538	74,206	20·974	16·32	47	19	4	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	27	26	7	60·2	40·0	50·0	0·66
PERTH, . . . .	2,122	30,524	14·385	19·71	16	9	2	61·2	32·0	47·5	0·25
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	866	528	280	71·7	42·0	57·7	0·76



# Week ending Saturday, SEPTEMBER 11, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 11, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.3	3.3	545	158	107	1	2	5	7	15	5	63	6	72	15	100	30	1
GLASGOW, .	19.0	3.5	261	78	40	1	1	2	3	9	3	29	4	47	7	50	16	1
EDINBURGH,	19.9	3.7	112	27	23	0	0	2	2	2	1	14	0	6	2	35	12	0
DUNDEE, . .	15.6	3.2	49	14	8	0	0	1	0	1	1	7	1	6	2	5	0	0
ABERDEEN, .	16.2	3.0	43	18	10	0	0	0	2	1	0	5	1	5	0	3	0	0
LEITH, . . .	18.0	4.1	26	7	6	0	1	0	0	1	0	4	0	3	3	2	1	0
PAISLEY, . .	13.3	0.0	19	6	7	0	0	0	0	0	0	0	0	3	0	3	0	0
GREENOCK, .	22.0	3.4	26	7	10	0	0	0	0	0	0	4	0	2	1	2	0	0
PERTH, . . .	15.3	1.7	9	1	3	0	0	0	0	1	0	0	0	0	0	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 5, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.1	3.1	528	106	109	0	13	15	4	9	6	43	3	69	29	114	32	2
GLASGOW, .	19.5	4.0	264	52	43	0	12	3	3	5	6	25	2	31	13	60	19	1
EDINBURGH,	16.9	1.9	90	18	23	0	1	1	0	2	0	6	1	16	7	21	7	0
DUNDEE, . .	19.0	2.3	59	14	12	0	0	2	1	0	0	4	0	6	3	9	1	0
ABERDEEN, .	11.5	1.5	30	5	13	0	0	2	0	2	0	0	0	5	0	7	0	0
LEITH, . . .	22.5	6.3	32	7	5	0	0	5	0	0	0	4	0	3	4	8	2	0
PAISLEY, . .	15.7	2.1	22	1	6	0	0	2	0	0	0	1	0	3	0	8	0	0
GREENOCK, .	20.2	1.7	24	4	6	0	0	0	0	0	0	2	0	4	2	0	3	1
PERTH, . . .	12.0	1.7	7	5	1	0	0	0	0	0	0	1	0	1	0	1	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 37.                      WEEK ENDING SATURDAY, SEPTEMBER 18, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 18, 1897, was 19·4 per thousand of estimated population. This rate is 3·5 above that for the corresponding week of last year, and 1·1 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·3 per thousand; and the highest in Greenock, viz., 22·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 93, being 21 above the number for the previous week.

The Mean Temperature was 54°·9, being 5°·5 above that for the week immediately preceding, but 1°·0 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 18, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Sept. 18, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	874	579	190	73·7	36·0	54·9	0·42
GLASGOW, . . .	12,311	714,919	58·072	9·81	431	270	92	69·1	37·0	54·1	0·67
EDINBURGH, . .	8,804	292,364	33·208	12·97	151	108	32	69·1	38·2	55·1	0·20
DUNDEE, . . .	4,162	163,090	39·185	11·94	77	58	13	69·2	38·6	54·8	0·30
ABERDEEN, . .	6,795	138,143	20·330	16·58	80	48	24	72·4	39·0	54·4	0·44
LEITH, . . . .	2,042	75,186	36·820	12·32	49	28	7	71·1	41·4	55·7	0·17
PAISLEY, . . .	3,538	74,206	20·974	16·32	37	31	12	73·7	39·9	54·8	0·59
GREENOCK, . .	1,440	61,475	42·690	11·44	27	27	8	69·0	38·7	54·5	0·72
PERTH, . . . .	2,122	30,524	14·385	19·71	22	9	2	71·0	36·0	55·6	0·25
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	904	465	229	69·9	45·0	55·9	0·86



# Week ending Saturday, SEPTEMBER 18, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, September 18, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.4	3.4	579	167	124	2	5	2	8	17	9	58	3	93	14	116	26
GLASGOW, .	19.6	3.1	270	73	49	2	1	1	2	7	8	22	1	50	7	53	6
EDINBURGH,	19.2	3.0	108	34	23	0	0	0	3	1	1	12	1	14	2	31	13
DUNDEE, . .	18.5	4.8	58	20	9	0	0	1	2	5	0	7	0	17	1	5	1
ABERDEEN, .	18.1	1.5	48	10	16	0	0	0	0	0	0	4	0	3	3	10	2
LEITH, . . .	19.4	4.8	28	13	9	0	1	0	0	1	0	5	0	6	0	4	0
PAISLEY, . .	21.7	2.8	31	6	11	0	0	0	0	0	0	4	1	2	0	8	1
GREENOCK, .	22.8	8.5	27	8	4	0	3	0	1	3	0	3	0	1	1	1	3
PERTH, . . .	15.3	1.7	9	3	3	0	0	0	0	0	0	1	0	0	0	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, September 12, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15.9	2.6	465	112	95	0	14	10	4	6	2	41	6	49	15	85	23
GLASGOW, .	17.4	3.0	236	59	41	0	11	6	3	2	1	18	3	31	7	41	11
EDINBURGH,	13.0	1.9	69	14	16	0	3	0	1	1	0	5	0	9	2	19	8
DUNDEE, . .	13.8	1.6	43	12	10	0	0	1	0	0	0	4	0	3	3	7	1
ABERDEEN, .	17.2	2.3	45	10	18	0	0	1	0	2	0	3	1	1	1	11	1
LEITH, . . .	15.4	3.5	22	6	2	0	0	2	0	0	1	2	1	1	0	1	0
PAISLEY, . .	12.8	3.6	18	6	2	0	0	0	0	1	0	4	0	1	0	3	0
GREENOCK, .	16.8	2.5	20	3	2	0	0	0	0	0	0	3	0	2	2	2	2
PERTH, . . .	20.5	3.4	12	2	4	0	0	0	0	0	0	2	1	1	0	1	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

## SCOTLAND.

By Authority of the Registrar-General.

No. 38.      WEEK ENDING SATURDAY, SEPTEMBER 25, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 25, 1897, was 17·8 per thousand of estimated population. This rate is 0·5 above that for the corresponding week of last year, but 1·6 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·0 per thousand; and the highest in Greenock, viz., 22·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·8 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 95, being 2 above the number for the previous week.

The Mean Temperature was 51°·5, being 3°·4 below that for the week immediately preceding, and 2°·7 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 25, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Sept. 25, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	914	532	224	63·0	36·5	51·5	0·60
GLASGOW, . . .	12,311	714,919	58·072	9·81	454	255	99	60·1	36·5	51·5	0·58
EDINBURGH, . .	8,804	292,364	33·208	12·97	132	105	43	63·0	38·0	52·1	0·30
DUNDEE, . . .	4,162	163,090	39·185	11·94	98	51	12	60·1	39·7	51·2	0·13
ABERDEEN, . .	6,795	138,143	20·330	16·58	97	40	35	60·9	37·6	49·8	0·17
LEITH, . . . .	2,042	75,186	36·820	12·32	52	25	10	62·7	41·3	53·4	0·36
PAISLEY, . . .	3,538	74,206	20·974	16·32	42	20	11	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	26	26	11	60·0	38·2	50·9	2·32
PERTH, . . . .	2,122	30,524	14·385	19·71	13	10	3	62·0	39·5	51·7	0·33
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	897	505	186	65·5	41·0	54·2	1·20



# Week ending Saturday, SEPTEMBER 25, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 25, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.8	2.6	532	139	117	0	5	6	3	20	9	35	1	95	17	105	25	3
GLASGOW, .	18.5	2.4	255	68	54	0	2	1	1	13	5	11	0	60	8	54	9	3
EDINBURGH,	18.7	3.0	105	27	25	0	1	5	2	1	2	6	1	8	3	29	11	0
DUNDEE, . .	16.3	4.5	51	20	7	0	0	0	0	4	0	10	0	6	2	6	1	0
ABERDEEN, .	15.1	1.1	40	8	12	0	0	0	0	0	0	3	0	6	2	9	1	0
LEITH, . . .	17.3	2.1	25	9	2	0	0	0	0	1	0	2	0	3	0	0	0	0
PAISLEY, . .	14.0	0.7	20	3	8	0	0	0	0	0	1	0	0	6	0	2	1	0
GREENOCK, .	22.0	5.9	26	3	6	0	2	0	0	1	1	3	0	4	0	3	1	0
PERTH, . . .	17.0	0.0	10	1	3	0	0	0	0	0	0	0	0	2	2	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 19, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.3	3.0	505	132	104	0	7	10	5	6	6	54	2	54	24	91	30	2
GLASGOW, .	17.3	4.2	234	68	33	0	5	4	4	2	6	36	1	24	14	45	14	1
EDINBURGH,	16.5	1.7	88	19	25	0	1	0	0	2	0	6	0	10	2	19	12	0
DUNDEE, . .	16.4	1.6	51	14	13	0	0	1	0	0	0	4	0	6	2	9	1	0
ABERDEEN, .	20.3	1.5	53	12	14	0	0	1	0	0	0	3	1	7	1	6	0	0
LEITH, . . .	18.9	2.8	27	11	5	0	1	2	0	0	0	1	0	1	0	0	1	0
PAISLEY, . .	17.8	3.6	25	4	7	0	0	2	0	1	0	2	0	3	1	6	0	0
GREENOCK, .	11.8	1.7	14	1	4	0	0	0	1	0	0	1	0	2	2	4	0	0
PERTH, . . .	22.2	3.4	13	3	3	0	0	0	0	1	0	1	0	1	2	2	2	1

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, OCTOBER 2, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 2, 1897, was 19·4 per thousand of estimated population. This rate is 5·0 above that for the corresponding week of last year, and 1·6 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 10·2 per thousand; and the highest in Dundee, viz., 25·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being the same as that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 130, being 35 above the number for the previous week.

The Mean Temperature was 53°·1, being 1°·6 above that for the week immediately preceding, and 4°·1 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 2, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Oct. 2, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	937	579	239	65·8	35·5	53·1	0·40
GLASGOW, . . .	12,311	714,919	58·072	9·81	451	255	114	65·4	37·9	53·2	0·38
EDINBURGH, . .	8,804	292,364	33·208	12·97	137	108	54	65·6	42·1	54·3	0·17
DUNDEE, . . .	4,162	163,090	39·185	11·94	111	79	20	63·4	40·6	51·9	0·34
ABERDEEN, . .	6,795	138,143	20·330	16·58	88	46	24	63·5	36·6	51·2	0·40
LEITH, . . . .	2,042	75,186	36·820	12·32	59	31	9	65·8	43·1	54·1	0·18
PAISLEY, . . .	3,538	74,206	20·974	16·32	40	27	9	65·0	40·8	54·0	0·42
GREENOCK, . .	1,440	61,475	42·690	11·44	39	27	7	63·0	44·0	53·4	1·03
PERTH, . . . .	2,122	30,524	14·385	19·71	12	6	2	64·5	35·5	52·3	0·26
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	950	420	238	62·6	35·4	49·0	1·52

**Week ending Saturday, OCTOBER 2, 1897.**

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the  
Week ending Saturday, October 2, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.4	2.6	579	187	107	0	3	5	4	18	7	41	7	130	20	98	33	0
GLASGOW, .	18.5	2.4	255	77	45	0	2	2	1	9	5	14	4	69	12	38	17	0
EDINBURGH,	19.2	2.1	103	25	23	0	0	2	2	1	0	7	1	11	3	30	14	0
DUNDEE, . .	25.2	4.5	79	34	12	0	0	0	0	2	0	12	0	27	2	11	1	0
ABERDEEN, .	17.3	1.9	46	22	7	0	0	0	0	1	0	4	0	9	0	3	0	0
LEITH, . . .	21.4	4.8	31	12	3	0	0	0	0	3	0	4	2	6	2	4	0	0
PAISLEY, . .	18.9	2.8	27	7	9	0	0	1	1	1	1	0	0	3	0	5	0	0
GREENOCK, .	22.8	2.5	27	9	6	0	1	0	0	1	1	0	0	4	0	5	1	0
PERTH, . . .	10.2	0.0	6	1	2	0	0	0	0	0	0	0	0	1	1	2	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the  
Week ending Saturday, September 26, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.4	2.6	420	109	80	0	9	8	5	9	3	43	3	42	13	87	31	5
GLASGOW, .	15.9	3.7	215	63	24	0	9	4	2	5	2	23	2	25	6	44	18	4
EDINBURGH,	13.0	2.3	69	15	20	0	0	2	1	2	0	7	0	7	1	19	11	0
DUNDEE, . .	13.8	1.0	43	9	15	0	0	0	0	0	1	2	1	4	2	8	1	0
ABERDEEN, .	13.0	0.8	34	11	9	0	0	0	0	0	0	2	0	0	2	7	0	1
LEITH, . . .	11.2	2.8	16	3	5	0	0	1	1	0	0	2	0	2	1	3	0	0
PAISLEY, . .	15.7	2.9	22	3	3	0	0	1	1	1	0	1	0	2	0	3	0	0
GREENOCK, .	10.1	1.7	12	5	3	0	0	0	0	1	0	1	0	2	0	1	0	0
PERTH, . . .	15.4	0.0	9	0	1	0	0	0	0	0	0	0	0	0	1	2	1	0



WEEKLY RETURN  
OF  
BIRTHS, DEATHS, AND MARRIAGES  
IN EIGHT PRINCIPAL TOWNS OF  
SCOTLAND.

By Authority of the Registrar-General.

No. 40. WEEK ENDING SATURDAY, OCTOBER 9, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 9, 1897, was 19·8 per thousand of estimated population. This rate is 2·6 above that for the corresponding week of last year, and 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 8·5 per thousand; and the highest in Dundee, viz., 24·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 160, being 30 above the number for the previous week.

The Mean Temperature was 49°·5, being 3°·6 below that for the week immediately preceding, and 2°·7 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 9, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Oct. 9, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	983	590	203	61·9	34·0	49·5	0·25
GLASGOW, . . .	12,311	714,919	58·072	9·81	475	288	93	59·9	34·1	48·8	0·26
EDINBURGH, . .	8,804	292,364	33·208	12·97	164	95	41	61·4	40·8	50·9	0·00
DUNDEE, . . .	4,162	163,090	39·185	11·94	102	76	30	59·8	35·9	48·4	0·04
ABERDEEN, . .	6,795	138,143	20·330	16·58	94	50	15	60·5	35·6	49·1	0·20
LEITH, . . . .	2,042	75,186	36·820	12·32	53	23	6	60·0	42·8	50·9	0·00
PAISLEY, . . .	3,538	74,206	20·974	16·32	36	27	8	61·9	39·0	50·4	0·34
GREENOCK, . .	1,440	61,475	42·690	11·44	39	26	8	58·7	40·2	49·7	1·07
PERTH, . . . .	2,122	30,524	14·385	19·71	20	5	2	60·5	34·0	47·7	0·05
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	921	503	270	61·2	34·0	52·2	0·44

# Week ending Saturday, OCTOBER 9, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 9, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·8	2·4	590	174	109	0	3	13	5	12	12	28	2	160	24	116	28	1
GLASGOW, .	20·9	2·8	288	78	55	0	2	5	2	7	7	15	2	74	14	60	11	1
EDINBURGH,	16·9	1·8	95	21	20	0	0	3	1	1	2	3	0	25	5	29	11	0
DUNDEE, . .	24·2	3·5	76	36	9	0	0	1	2	3	0	5	0	28	3	11	2	0
ABERDEEN, .	18·8	2·6	50	15	14	0	0	3	0	0	1	3	0	10	1	8	1	0
LEITH, . . .	15·9	0·0	23	11	0	0	0	0	0	0	0	0	0	7	0	1	0	0
PAISLEY, . .	18·9	3·5	27	5	4	0	0	1	0	1	2	1	0	5	0	4	1	0
GREENOCK, .	22·0	0·8	26	7	6	0	1	0	0	0	0	0	0	10	1	2	2	0
PERTH, . . .	8·5	1·7	5	1	1	0	0	0	0	0	0	1	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 3, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·2	2·7	503	136	84	0	10	6	9	9	9	36	0	76	27	92	39	2
GLASGOW, .	18·1	3·1	246	68	34	0	9	4	3	5	4	17	0	47	9	42	18	1
EDINBURGH,	14·9	2·4	79	21	14	0	1	0	2	2	1	7	0	5	6	19	9	0
DUNDEE, . .	16·1	2·3	50	16	9	0	0	0	1	0	1	5	0	7	2	9	4	0
ABERDEEN, .	18·4	1·5	48	17	9	0	0	1	0	0	1	2	0	5	6	11	4	0
LEITH, . . .	18·2	4·2	26	5	5	0	0	1	2	0	0	3	0	3	2	3	0	0
PAISLEY, . .	15·0	3·6	21	5	3	0	0	0	1	2	1	1	0	3	0	2	1	0
GREENOCK, .	20·2	1·7	24	2	7	0	0	0	0	0	1	1	0	5	0	2	2	0
PERTH, . . .	15·4	0·0	9	2	3	0	0	0	0	0	0	0	0	1	2	4	1	1

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 16, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 16, 1897, was 19·1 per thousand of estimated population. This rate is 1·4 above that for the corresponding week of last year, but 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 12·8 per thousand; and the highest in Greenock, viz., 23·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·8 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 120, being 40 below the number for the previous week.

The Mean Temperature was 45°·0, being 4°·5 below that for the week immediately preceding, and 1°·2 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 16, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Oct. 16, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	938	568	209	60·1	24·5	45·0	1·62
GLASGOW, . . .	12,311	714,919	58·072	9·81	463	267	86	58·0	24·5	45·9	1·31
EDINBURGH, . .	8,804	292,364	33·208	12·97	141	122	41	59·0	29·7	45·6	1·13
DUNDEE, . . .	4,162	163,090	39·185	11·94	98	64	45	58·9	29·9	43·7	1·81
ABERDEEN, . .	6,795	138,143	20·330	16·58	76	34	14	60·1	30·2	44·1	1·89
LEITH, . . . .	2,042	75,186	36·820	12·32	52	24	2	57·9	31·3	46·0	0·82
PAISLEY, . . .	3,538	74,206	20·974	16·32	55	19	5	57·2	27·0	45·8	1·75
GREENOCK, . .	1,440	61,475	42·690	11·44	37	28	11	56·0	31·0	44·3	2·34
PERTH, . . . .	2,122	30,524	14·385	19·71	16	10	5	60·0	26·0	44·4	1·89
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	866	517	209	57·8	33·0	46·2	1·95





# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 42.      WEEK ENDING SATURDAY, OCTOBER 23, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 23, 1897, was 20·3 per thousand of estimated population. This rate is 2·4 above that for the corresponding week of last year, and 1·2 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 13·3 per thousand; and the highest in Dundee, viz., 24·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 139, being 19 above the number for the previous week.

The Mean Temperature was 51°·7, being 6°·7 above that for the week immediately preceding, and 9°·2 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 23, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Oct. 23, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	982	604	185	65·1	33·5	51·7	0·19
GLASGOW, . . .	12,311	714,919	58·072	9·81	468	300	87	61·9	37·8	50·7	0·29
EDINBURGH, . .	8,804	292,364	33·208	12·97	158	102	37	64·3	39·5	53·1	0·02
DUNDEE, . . .	4,162	163,090	39·185	11·94	108	77	12	59·2	39·8	51·3	0·23
ABERDEEN, . . .	6,795	138,143	20·330	16·58	96	43	23	61·2	33·5	49·5	0·19
LEITH, . . . . .	2,042	75,186	36·820	12·32	51	25	10	65·1	40·1	52·7	0·21
PAISLEY, . . . .	3,538	74,206	20·974	16·32	40	19	5	61·5	37·5	51·6	0·15
GREENOCK, . . .	1,440	61,475	42·690	11·44	45	29	7	61·0	40·0	52·3	0·33
PERTH, . . . . .	2,122	30,524	14·385	19·71	16	9	4	63·5	36·0	52·1	0·10
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	988	523	228	58·2	25·0	42·5	0·09

**Week ending Saturday, OCTOBER 23, 1897.**

**TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 23, 1897.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·3	2·9	604	176	99	*1	7	4	6	27	13	29	5	139	17	119	28	0
GLASGOW, .	21·8	3·4	300	89	41	0	5	3	3	17	10	9	1	82	6	58	10	0
EDINBURGH,	18·1	1·2	102	19	22	*1	0	0	0	1	2	3	0	14	3	33	12	0
DUNDEE, . .	24·6	3·5	77	30	10	0	0	0	3	1	0	7	1	19	3	10	2	0
ABERDEEN, .	16·2	3·8	43	19	8	0	0	1	0	1	0	8	0	9	1	4	1	0
LEITH, . . .	17·3	2·1	25	7	3	0	0	0	0	2	1	0	0	5	0	5	2	0
PAISLEY, . .	13·3	2·1	19	4	4	0	0	0	0	2	0	1	2	4	1	2	0	0
GREENOCK, .	24·5	4·2	29	5	8	0	2	0	0	3	0	0	1	4	3	4	1	0
PERTH, . . .	15·3	1·7	9	3	3	0	0	0	0	0	0	1	0	2	0	3	0	0

\* Chicken-pox.

**TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, October 17, 1896.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	17·9	1·4	523	131	119	0	5	10	3	7	1	15	2	114	15	108	22	0
GLASGOW, .	18·6	1·4	252	68	41	0	3	3	0	4	1	8	1	70	5	45	13	0
EDINBURGH,	17·9	1·1	95	16	32	0	0	2	1	3	0	0	0	8	3	33	5	0
DUNDEE, . .	20·3	0·6	63	22	10	0	0	0	0	0	0	2	0	16	1	10	0	0
ABERDEEN, .	14·2	2·3	37	9	9	0	1	3	0	0	0	2	0	4	2	5	0	0
LEITH, . . .	16·1	1·4	23	6	4	0	0	0	0	0	0	2	0	8	1	2	2	0
PAISLEY, . .	18·5	2·9	26	4	11	0	1	1	2	0	0	0	0	3	2	6	1	0
GREENOCK, .	13·5	0·8	16	5	5	0	0	0	0	0	0	1	1	2	1	4	1	0
PERTH, . . .	18·8	1·7	11	1	7	0	0	1	0	0	0	0	0	3	0	3	0	0



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 43.

WEEK ENDING SATURDAY, OCTOBER 30, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 30, 1897, was 19·9 per thousand of estimated population. This rate is 1·0 above that for the corresponding week of last year, but 0·4 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·6 per thousand; and the highest in Dundee, viz., 24·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 132, being 7 below the number for the previous week.

The Mean Temperature was 45°·8, being 5°·9 below that for the week immediately preceding, but 5°·3 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 30, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Oct. 30, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	910	593	242	58·2	31·8	45·8	0·09
GLASGOW, . . .	12,311	714,919	58·072	9·81	427	273	129	57·3	31·8	46·3	0·03
EDINBURGH, . .	8,804	292,364	33·208	12·97	147	104	46	55·3	35·3	46·2	0·03
DUNDEE, . . .	4,162	163,090	39·185	11·94	96	76	8	54·9	37·2	46·1	0·11
ABERDEEN, . .	6,795	138,143	20·330	16·58	93	63	22	58·2	39·0	47·4	0·00
LEITH, . . . .	2,042	75,186	36·820	12·32	52	24	10	51·2	37·2	40·8	0·05
PAISLEY, . . .	3,538	74,206	20·974	16·32	27	25	14	53·1	34·3	46·2	0·06
GREENOCK, . .	1,440	61,475	42·690	11·44	49	20	8	55·0	40·7	47·8	0·30
PERTH, . . . .	2,122	30,524	14·385	19·71	19	8	5	55·2	35·0	45·6	0·08
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	959	552	206	52·5	24·5	40·5	1·63

# Week ending Saturday, OCTOBER 30, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 30, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19.9	2.7	593	184	133	0	8	12	3	15	6	35	5	132	21	94	37	1
GLASGOW, .	19.9	2.9	273	79	58	0	8	5	0	13	2	12	5	60	12	44	17	1
EDINBURGH,	18.5	2.3	104	20	26	0	0	2	2	1	2	6	0	17	3	22	12	0
DUNDEE, . .	24.2	3.2	76	34	18	0	0	1	0	0	1	8	0	28	4	12	2	0
ABERDEEN, .	23.7	2.6	63	23	13	0	0	3	0	0	0	4	0	15	0	8	1	0
LEITH, . . .	16.6	2.1	24	10	5	0	0	0	0	1	0	2	0	3	1	1	0	0
PAISLEY, . .	17.5	2.1	25	8	5	0	0	0	0	0	1	2	0	5	1	3	1	0
GREENOCK, .	16.9	0.8	20	6	6	0	0	0	1	0	0	0	0	4	0	2	2	0
PERTH, . . .	13.6	3.4	8	4	2	0	0	1	0	0	0	1	0	0	0	2	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 24, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18.9	2.3	552	117	130	0	16	4	5	12	7	24	3	119	21	93	34	2
GLASGOW, .	20.1	3.1	273	59	61	0	12	4	3	8	5	10	1	56	13	46	11	2
EDINBURGH,	16.7	0.9	89	19	19	0	1	0	0	2	0	2	1	17	3	19	15	0
DUNDEE, . .	19.9	1.3	62	15	9	0	0	0	1	0	0	3	0	17	2	10	2	0
ABERDEEN, .	17.2	2.7	45	10	16	0	2	0	0	0	1	4	1	9	1	8	2	0
LEITH, . . .	18.2	2.1	26	3	8	0	0	0	0	0	0	3	0	7	1	3	0	0
PAISLEY, . .	21.4	3.6	30	8	9	0	1	0	1	1	0	2	0	8	1	2	3	0
GREENOCK, .	15.2	0.0	18	3	4	0	0	0	0	0	0	0	0	4	0	1	0	0
PERTH, . . .	15.4	3.4	9	0	4	0	0	0	0	1	1	0	0	1	0	4	1	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 44.                      WEEK ENDING SATURDAY, NOVEMBER 6, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 6, 1897, was 18·8 per thousand of estimated population. This rate is 0·2 above that for the corresponding week of last year, but 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·4 per thousand; and the highest in Greenock, viz., 26·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·3 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 138, being 6 above the number for the previous week.

The Mean Temperature was 46°·2, being 0°·4 above that for the week immediately preceding, and 7°·2 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 6, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Nov. 6, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	861	560	295	54·4	33·2	46·2	0·07
GLASGOW, . . .	12,311	714,919	58·072	9·81	418	277	180	54·4	33·2	45·6	0·01
EDINBURGH, . .	8,804	292,364	33·208	12·97	155	98	41	52·9	37·5	45·8	0·18
DUNDEE, . . .	4,162	163,090	39·185	11·94	92	62	17	51·8	39·7	45·9	0·05
ABERDEEN, . .	6,795	138,143	20·330	16·58	69	39	16	51·6	41·8	46·9	0·05
LEITH, . . . .	2,042	75,186	36·820	12·32	37	15	13	52·0	39·5	46·0	0·13
PAISLEY, . . .	3,538	74,206	20·974	16·32	33	31	13	52·8	39·3	46·2	0·01
GREENOCK, . .	1,440	61,475	42·690	11·44	35	31	7	53·0	40·0	46·3	0·00
PERTH, . . . .	2,122	30,524	14·385	19·71	22	7	8	53·0	41·5	46·6	0·10
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	929	544	220	53·0	21·5	39·0	0·31





# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 45.                      WEEK ENDING SATURDAY, NOVEMBER 13, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 13, 1897, was 20·1 per thousand of estimated population. This rate is 0·2 below that for the corresponding week of last year, but 1·3 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 16·1 per thousand; and the highest in Greenock, viz., 23·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 156, being 18 above the number for the previous week.

The Mean Temperature was 49°·8, being 3°·6 above that for the week immediately preceding, and 9°·9 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 13, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Nov. 13, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	900	599	176	58·7	40·0	49·8	1·07
GLASGOW, . . .	12,311	714,919	58·072	9·81	425	294	86	58·1	40·0	50·3	1·34
EDINBURGH, . .	8,804	292,364	33·208	12·97	147	107	38	57·3	44·2	50·1	0·88
DUNDEE, . . .	4,162	163,090	39·185	11·94	92	65	11	56·7	40·1	48·4	0·91
ABERDEEN, . .	6,795	138,143	20·330	16·58	85	44	10	57·0	42·0	50·0	0·39
LEITH, . . . .	2,042	75,186	36·820	12·32	50	26	10	58·7	45·0	51·0	0·51
PAISLEY, . . .	3,538	74,206	20·974	16·32	47	23	9	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	34	28	8	56·0	42·0	49·8	2·32
PERTH, . . . .	2,122	30,524	14·385	19·71	20	12	4	57·8	40·0	48·9	1·14
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	856	592	311	51·2	22·0	39·9	0·15

# Week ending Saturday, NOVEMBER 13, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 13, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·1	2·1	599	162	121	1	7	11	6	12	4	23	5	156	26	114	35	4	
GLASGOW, .	21·4	2·4	294	88	49	1	1	6	2	8	2	13	3	82	11	54	14	3	
EDINBURGH,	19·0	1·4	107	19	33	0	0	1	2	0	2	3	0	17	7	30	16	0	
DUNDEE, . .	20·7	3·2	65	23	10	0	0	4	1	1	0	4	0	16	2	12	1	1	
ABERDEEN, .	16·6	0·4	44	14	13	0	0	0	0	0	0	1	0	21	2	5	2	0	
LEITH, . . .	18·0	2·1	26	6	4	0	1	0	1	0	0	1	1	7	1	4	0	0	
PAISLEY, . .	16·1	0·0	23	4	7	0	0	0	0	0	0	0	1	4	1	4	1	0	
GREENOCK, .	23·7	7·6	28	6	3	0	5	0	0	3	0	1	0	8	1	2	1	0	
PERTH, . . .	20·4	0·0	12	2	2	0	0	0	0	0	0	0	0	1	1	3	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 7, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·3	2·0	592	148	140	0	23	7	3	8	7	11	2	166	28	100	37	1	
GLASGOW, .	22·1	3·0	300	79	60	0	19	2	2	7	5	6	0	89	15	52	21	1	
EDINBURGH,	15·0	0·2	80	14	32	0	0	1	0	0	0	0	0	18	2	16	8	0	
DUNDEE, . .	21·6	1·0	67	23	13	0	1	0	0	0	0	2	0	24	3	7	1	0	
ABERDEEN, .	22·2	1·9	58	11	14	0	1	3	0	0	0	1	0	15	3	11	2	0	
LEITH, . . .	16·1	2·8	23	6	7	0	0	1	1	0	0	2	2	2	0	2	1	0	
PAISLEY, . .	19·3	2·9	27	5	7	0	2	0	0	1	1	0	0	5	3	9	1	0	
GREENOCK, .	21·0	0·8	25	6	4	0	0	0	0	0	1	0	0	8	2	3	2	0	
PERTH, . . .	20·5	0·0	12	4	3	0	0	0	0	0	0	0	0	5	0	0	1	0	



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 46.                      WEEK ENDING SATURDAY, NOVEMBER 20, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 20, 1897, was 18·5 per thousand of estimated population. This rate is 5·0 below that for the corresponding week of last year, and 1·6 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 16·6 per thousand; and the highest in Perth, viz., 22·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 140, being 16 below the number for the previous week.

The Mean Temperature was 44°·6, being 5°·2 below that for the week immediately preceding but 0°·8 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 20, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Nov. 20, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	877	552	203	60·2	21·5	44·6	0·45
GLASGOW, . . .	12,311	714,919	58·072	9·81	436	254	102	55·9	26·0	45·5	0·44
EDINBURGH, . .	8,804	292,364	33·208	12·97	135	104	39	55·4	27·3	45·0	0·33
DUNDEE, . . .	4,162	163,090	39·185	11·94	93	52	28	56·3	24·3	43·6	0·20
ABERDEEN, . .	6,795	138,143	20·330	16·58	76	57	14	60·2	21·5	42·8	0·58
LEITH, . . . .	2,042	75,186	36·820	12·32	62	25	5	56·1	31·5	46·0	0·68
PAISLEY, . . .	3,538	74,206	20·974	16·32	44	26	6	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	21	21	6	54·5	29·0	45·3	0·68
PERTH, . . . .	2,122	30,524	14·385	19·71	10	13	3	57·5	22·5	44·0	0·23
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	846	686	205	56·0	27·5	43·8	0·36

# Week ending Saturday, NOVEMBER 20, 1897.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 20, 1897.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.5	2.1	552	152	107	0	12	8	4	10	9	19	5	140	19	104	26
GLASGOW, .	18.5	2.3	254	71	36	0	7	2	2	9	8	3	3	65	8	52	11
EDINBURGH,	18.5	2.7	104	25	27	0	0	4	1	0	0	10	1	22	5	21	10
DUNDEE, . .	16.6	1.0	52	12	10	0	0	1	0	0	0	2	1	14	3	12	0
ABERDEEN, .	21.5	1.1	57	26	13	0	0	1	0	0	0	2	0	20	0	5	1
LEITH, . . .	17.3	1.4	25	6	4	0	0	0	0	0	1	1	0	2	0	1	0
PAISLEY, . .	18.2	0.7	26	3	10	0	0	0	0	0	0	1	0	5	2	6	2
GREENOCK, .	17.8	5.9	21	6	3	0	5	0	1	1	0	0	0	6	1	4	2
PERTH, . . .	22.1	0.0	13	3	4	0	0	0	0	0	0	0	0	5	0	3	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 14, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23.5	2.6	686	154	160	1	17	11	8	12	10	17	4	175	22	121	41
GLASGOW, .	24.6	3.0	334	85	66	0	13	4	5	7	4	8	1	98	7	44	19
EDINBURGH,	23.7	1.5	126	24	35	*1	2	1	0	1	1	2	2	27	5	35	12
DUNDEE, . .	23.8	1.9	74	15	17	0	0	0	0	2	3	1	0	20	3	19	4
ABERDEEN, .	23.0	3.8	60	13	16	0	1	4	2	0	0	3	1	9	2	5	0
LEITH, . . .	16.1	1.4	23	5	5	0	0	1	0	0	0	1	0	5	2	4	0
PAISLEY, . .	25.0	5.7	35	4	8	0	1	1	1	2	2	1	0	7	0	7	4
GREENOCK, .	21.9	0.8	26	7	8	0	0	0	0	0	0	1	0	6	3	5	2
PERTH, . . .	13.7	0.0	8	1	5	0	0	0	0	0	0	0	0	3	0	2	0

\* Chickenpox.

**WEEKLY RETURN**  
OF  
**BIRTHS, DEATHS, AND MARRIAGES**  
IN EIGHT PRINCIPAL TOWNS OF  
**SCOTLAND.**

By Authority of the Registrar-General.

No. 47.                      WEEK ENDING SATURDAY, NOVEMBER 27, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 27, 1897, was 19·5 per thousand of estimated population. This rate is 1·6 below that for the corresponding week of last year, but 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 14·5 per thousand; and the highest in Greenock, viz., 25·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·4 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 116, being 24 below the number for the previous week.

The Mean Temperature was 45°·4, being 0°·8 above that for the week immediately preceding, and 3°·1 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 27, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Nov. 27, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	897	581	219	59·1	32·0	45·4	0·43
GLASGOW, . . . .	12,311	714,919	58·072	9·81	425	263	107	54·9	39·0	46·1	0·61
EDINBURGH, . .	8,804	292,364	33·208	12·97	140	113	46	52·7	38·9	45·2	0·27
DUNDEE, . . . .	4,162	163,090	39·185	11·94	92	55	19	52·7	36·1	43·6	0·44
ABERDEEN, . .	6,795	138,143	20·330	16·58	85	59	21	59·1	32·0	43·1	0·08
LEITH, . . . . .	2,042	75,186	36·820	12·32	39	21	9	53·7	39·0	45·9	0·21
PAISLEY, . . . .	3,538	74,206	20·974	16·32	61	28	7	55·7	40·0	46·8	0·78
GREENOCK, . . .	1,440	61,475	42·690	11·44	41	30	9	53·7	37·5	46·4	0·79
PERTH, . . . . .	2,122	30,524	14·385	19·71	14	12	1	57·0	36·5	46·2	0·28
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	927	615	197	51·7	29·9	42·3	0·52



**Week ending Saturday, NOVEMBER 27, 1897.**

**TABLE II.—DEATHS and RATE OF MORTALITY \*in Eight Principal Towns during the  
Week ending Saturday, November 27, 1897.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	19.5	2.5	581	159	116	0	10	12	5	23	2	22	7	116	21	118	35	6		
GLASGOW, .	19.1	3.0	263	65	44	0	9	5	2	15	2	8	3	51	7	59	11	5		
EDINBURGH,	20.1	1.6	113	25	31	0	0	2	2	2	0	3	2	21	8	31	13	0		
DUNDEE, . .	17.5	3.5	55	21	7	0	0	3	1	2	0	5	1	13	1	7	2	0		
ABERDEEN, .	22.2	2.3	59	16	18	0	0	1	0	1	0	4	0	12	1	10	1	0		
LEITH, . . .	14.5	0.7	21	9	4	0	0	0	0	0	0	1	0	5	1	3	1	0		
PAISLEY, . .	19.6	1.4	28	11	3	0	0	1	0	1	0	0	0	8	0	3	1	0		
GREENOCK, .	25.4	3.4	30	9	5	0	1	0	0	2	0	1	1	3	2	4	4	0		
PERTH, . . .	20.4	0.0	12	3	4	0	0	0	0	0	0	0	0	3	1	1	2	1		

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the  
Week ending Saturday, November 21, 1896.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from													
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.	
In Eight Towns,	21.1	2.6	615	145	124	0	37	7	4	7	4	17	4	168	25	127	29	3	
GLASGOW, .	23.5	3.5	319	84	53	0	33	2	1	2	3	7	2	98	13	64	16	3	
EDINBURGH,	18.4	1.9	98	21	28	0	0	3	1	4	0	2	0	20	5	31	9	0	
DUNDEE, . .	19.3	1.0	60	11	16	0	1	0	0	0	0	2	0	17	3	10	0	0	
ABERDEEN, :	18.4	2.3	48	10	11	0	1	1	1	0	0	3	0	10	0	10	0	0	
LEITH, . . .	15.4	3.5	22	3	5	0	0	0	1	1	0	3	1	6	1	2	0	0	
PAISLEY, . .	22.1	2.9	31	9	7	0	2	1	0	0	1	0	1	9	0	3	3	0	
GREENOCK, .	16.8	0.0	20	3	2	0	0	0	0	0	0	0	0	2	2	3	1	0	
PERTH, . . .	29.1	0.0	17	4	2	0	0	0	0	0	0	0	0	6	1	4	0	0	

# WEEKLY RETURN

OF

## BIRTHS; DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 48.      WEEK ENDING SATURDAY, DECEMBER 4, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 4, 1897, was 19·6 per thousand of estimated population. This rate is 0·7 below that for the corresponding week of last year, but 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 13·9 per thousand; and the highest in Perth, viz., 29·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 123, being 7 above the number for the previous week.

The Mean Temperature was 37°·3, being 8°·1 below that for the week immediately preceding, and 8°·0 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 4, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Dec. 4, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	874	583	369	50·5	22·8	37·3	0·86
GLASGOW, . . . .	12,311	714,919	58·072	9·81	418	265	166	47·3	28·0	38·2	0·73
EDINBURGH, . . .	8,804	292,364	33·208	12·97	146	117	85	45·5	29·0	37·9	0·74
DUNDEE, . . . .	4,162	163,090	39·185	11·94	89	64	24	43·8	27·4	36·0	0·72
ABERDEEN, . . .	6,795	138,143	20·330	16·68	93	37	34	43·0	22·8	34·6	0·94
LEITH, . . . . .	2,042	75,186	36·820	12·32	38	27	31	46·3	31·0	29·0	0·73
PAISLEY, . . . .	3,538	74,206	20·974	16·32	42	23	14	...	...	...	...
GREENOCK, . . .	1,440	61,475	42·690	11·44	34	33	5	48·0	32·0	39·0	1·37
PERTH, . . . . .	2,122	30,524	14·385	19·71	14	17	10	50·5	25·0	36·4	0·76
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	941	592	233	56·0	36·3	45·3	0·09

**Week ending Saturday, DECEMBER 4, 1897.**

**TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 4, 1897.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of			Deaths from											
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·6	2·4	583	134	124	0	15	9	6	22	8	13	2	123	29	116	36	5
GLASGOW, .	19·3	2·8	265	45	53	0	11	3	2	16	1	6	2	57	13	57	14	2
EDINBURGH,	20·8	1·8	117	26	27	0	0	3	1	2	1	3	0	23	5	30	14	0
DUNDEE, . .	20·4	1·6	64	28	11	0	0	1	1	1	0	2	0	12	2	8	4	0
ABERDEEN, .	13·9	0·4	37	10	14	0	0	0	0	0	0	1	0	12	1	3	0	0
LEITH, . . .	18·7	2·1	27	4	7	0	0	2	0	0	1	0	0	2	3	5	2	0
PAISLEY, . .	16·1	2·1	23	3	8	0	0	0	1	0	2	0	0	5	2	4	1	0
GREENOCK, .	27·9	10·2	33	8	4	0	4	0	1	3	3	1	0	4	2	5	0	0
PERTH, . . .	29·0	0·0	17	10	0	0	0	0	0	0	0	0	0	8	1	4	1	3

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 28, 1896.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	20·3	2·8	592	138	123	0	33	7	9	9	8	15	5	141	18	111	28	4		
GLASGOW, .	21·6	4·0	293	55	51	0	27	2	4	6	5	10	3	58	12	57	14	4		
EDINBURGH,	16·4	1·3	87	20	23	0	0	0	2	3	0	2	1	24	3	18	9	0		
DUNDEE, . .	21·9	1·0	68	25	15	0	0	0	1	0	1	1	0	22	2	7	1	0		
ABERDEEN, .	23·3	3·8	61	21	13	0	4	3	1	0	0	2	0	16	0	10	0	0		
LEITH, . . .	17·5	2·1	25	6	6	0	0	2	1	0	0	0	1	7	0	7	1	0		
PAISLEY, . .	18·5	1·4	26	6	7	0	2	0	0	0	0	0	0	7	0	3	3	0		
GREENOCK, .	12·6	1·7	15	1	2	0	0	0	0	0	2	0	0	3	1	5	0	0		
PERTH, . . .	29·1	0·0	17	4	6	0	0	0	0	0	0	0	0	4	0	4	0	0		



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

### SCOTLAND.

By Authority of the Registrar-General.

No. 49.                      WEEK ENDING SATURDAY, DECEMBER 11, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 11, 1897, was 20·2 per thousand of estimated population. This rate is 0·2 below that for the corresponding week of last year, but 0·6 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 16·8 per thousand; and the highest in Perth, viz., 29·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 127, being 4 above the number for the previous week.

The Mean Temperature was 40°·4, being 3°·1 above that for the week immediately preceding, and 2°·0 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 11, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Dec. 11, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	834	603	268	53·7	29·0	40·4	1·38
GLASGOW, . . .	12,311	714,919	58·072	9·81	378	288	108	52·6	32·9	42·0	1·85
EDINBURGH, . .	8,804	292,364	33·208	12·97	152	101	61	52·0	32·9	41·3	0·71
DUNDEE, . . .	4,162	163,090	39·185	11·94	82	54	29	49·8	32·6	39·4	1·22
ABERDEEN, . .	6,795	138,143	20·330	16·58	79	57	31	49·0	31·5	38·7	1·53
LEITH, . . . .	2,042	75,186	36·820	12·32	50	28	14	53·7	33·8	42·2	0·56
PAISLEY, . . .	3,538	74,206	20·974	16·32	36	24	10	...	...	...	...
GREENOCK, . .	1,440	61,475	42·690	11·44	34	34	7	51·7	32·0	40·9	2·52
PERTH, . . . .	2,122	30,524	14·385	19·71	23	17	8	51·5	29·0	38·4	1·25
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	806	596	293	49·9	22·0	38·4	1·14

**Week ending Saturday, DECEMBER 11, 1897.**

**TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the**  
**Week ending Saturday, December 11, 1897.**

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include															
	From All Causes.	From Seven Zymotic Diseases.	Deaths from All Causes.	Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20.2	2.5	603	135	139	0	16	12	5	20	6	17	2	127	23	114	36	3
GLASGOW, .	20.9	2.9	288	61	62	0	8	7	2	14	3	6	1	65	10	57	19	3
EDINBURGH,	18.0	0.9	101	22	28	0	0	2	1	0	0	2	0	23	3	29	8	0
DUNDEE, . .	17.2	2.2	54	11	8	0	0	2	0	2	0	3	0	12	3	8	2	0
ABERDEEN, .	21.5	1.5	57	19	11	0	0	1	1	0	0	2	1	10	3	9	0	0
LEITH, . . .	19.4	2.1	28	9	10	0	0	0	0	0	0	3	0	3	1	4	1	0
PAISLEY, . .	16.8	2.1	24	4	6	0	0	0	1	0	1	1	0	5	1	2	3	0
GREENOCK, .	28.8	11.0	34	8	5	0	8	0	0	4	1	0	0	6	1	1	2	0
PERTH, . . .	29.0	1.7	17	1	9	0	0	0	0	0	1	0	0	3	1	4	1	0

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the**  
**Week ending Saturday, December 5, 1896.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20.4	2.7	596	133	127	0	40	6	9	9	3	12	4	143	16	78	47	0
GLASGOW, .	21.2	4.2	288	69	39	0	37	4	3	7	1	5	4	74	7	34	15	0
EDINBURGH,	18.1	0.4	96	15	36	0	0	0	1	1	0	0	0	22	4	22	21	0
DUNDEE, . .	18.7	1.9	58	21	12	0	0	1	1	0	2	2	0	11	0	4	4	0
ABERDEEN, .	24.1	3.1	63	12	19	0	2	1	1	1	0	3	0	7	3	7	2	0
LEITH, . . .	18.9	0.7	27	8	5	0	0	0	0	0	0	1	0	9	1	1	1	0
PAISLEY, . .	21.4	3.6	30	3	6	0	1	0	3	0	0	1	0	7	1	7	3	0
GREENOCK, .	15.2	0.0	18	4	4	0	0	0	0	0	0	0	0	8	0	0	1	0
PERTH, . . .	27.4	0.0	16	1	6	0	0	0	0	0	0	0	0	5	0	3	0	0

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES

### IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 50.                      WEEK ENDING SATURDAY, DECEMBER 18, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 18, 1897, was 20·3 per thousand of estimated population. This rate is 0·4 below that for the corresponding week of last year, but 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 13·6 per thousand; and the highest in Greenock, viz., 31·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 137, being 10 above the number for the previous week.

The Mean Temperature was 41°·2, being 0°·8 above that for the week immediately preceding, and 0°·1 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 18, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Dec. 18, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	912	606	249	55·0	23·5	41·2	0·58
GLASGOW, . . .	12,311	714,919	58·072	9·81	454	289	104	55·0	30·1	42·9	0·40
EDINBURGH, . .	8,804	292,364	33·208	12·97	152	112	60	53·4	29·5	41·5	0·17
DUNDEE, . . .	4,162	163,090	39·185	11·94	88	58	24	51·4	26·6	40·1	0·61
ABERDEEN, . .	6,795	138,143	20·330	16·53	78	54	28	51·0	28·1	39·3	0·75
LEITH, . . . .	2,042	75,186	36·820	12·32	43	22	16	54·7	31·0	40·0	0·19
PAISLEY, . . .	3,538	74,206	20·974	16·32	48	26	8	53·9	32·0	43·6	0·48
GREENOCK, . .	1,440	61,475	42·690	11·44	40	37	5	53·7	32·8	41·8	1·32
PERTH, . . . .	2,122	30,524	14·385	19·71	9	8	4	53·0	23·5	40·5	0·69
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39·824	11·85	892	604	259	48·3	30·0	41·1	1·42



**Week ending Saturday, DECEMBER 18, 1897.**

**TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 18, 1897.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	20.3	2.4	606	136	141	0	11	10	3	29	5	14	1	137	20	114	46	3		
GLASGOW, .	21.0	2.8	289	70	50	0	8	6	1	16	2	5	1	74	11	59	26	3		
EDINBURGH,	19.9	1.1	112	23	31	0	0	3	2	0	0	1	0	25	6	29	16	0		
DUNDEE, . .	18.5	2.6	58	14	14	0	0	1	0	1	2	4	0	17	1	8	1	0		
ABERDEEN, .	20.3	1.1	54	14	20	0	0	0	0	0	0	3	0	9	1	6	0	0		
LEITH, . . .	15.2	2.1	22	6	4	0	0	0	0	2	0	1	0	2	0	5	1	0		
PAISLEY, . . .	18.2	1.4	26	5	8	0	0	0	0	2	0	0	0	5	1	3	1	0		
GREENOCK, .	31.3	9.3	37	4	9	0	3	0	0	8	0	0	0	3	0	3	1	0		
PERTH, . . .	13.6	1.7	8	0	5	0	0	0	0	0	1	0	0	2	0	1	0	0		

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 12, 1896.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	20.7	2.3	604	156	128	0	37	7	2	9	2	11	4	166	22	114	25	3		
GLASGOW, .	21.9	3.4	297	72	47	0	30	3	1	5	1	6	3	84	12	54	15	1		
EDINBURGH,	17.1	0.9	91	31	21	0	0	2	0	1	0	2	0	25	1	21	8	0		
DUNDEE, . .	22.8	1.6	71	15	21	0	2	1	0	1	1	0	0	23	4	6	0	1		
ABERDEEN, .	22.2	1.5	58	15	14	0	2	1	1	0	0	0	0	13	3	20	0	0		
LEITH, . . .	18.2	0.7	26	9	8	0	0	0	0	1	0	0	0	10	1	6	2	0		
PAISLEY, . .	17.8	2.9	25	4	8	0	2	0	0	1	0	1	0	5	0	4	0	0		
GREENOCK, .	20.2	1.7	24	6	6	0	1	0	0	0	0	1	1	3	1	1	0	1		
PERTH, . . .	20.5	1.7	12	4	3	0	0	0	0	0	0	1	0	3	0	2	0	0		

# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 25, 1897.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 25, 1897, was 18·6 per thousand of estimated population. This rate is 2·4 below that for the corresponding week of last year, and 1·7 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·8 per thousand; and the highest in Glasgow, viz., 20·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·2 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 146, being 9 above the number for the previous week.

The Mean Temperature was 32°·4, being 8°·8 below that for the week immediately preceding, and 2°·1 below that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 25, 1897, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Dec. 25, 1897.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37·606	12·19	831	554	277	48·7	19·0	32·4	0·03
GLASGOW, . . .	12,311	714,919	58·072	9·81	429	284	109	47·3	21·3	30·8	0·08
EDINBURGH, . .	8,804	292,364	33·208	12·97	142	87	74	46·0	24·9	33·8	0·00
DUNDEE, . . .	4,162	163,090	39·185	11·94	64	60	22	42·1	22·1	30·9	0·03
ABERDEEN, . .	6,795	138,143	20·330	16·58	77	42	38	45·0	20·0	31·9	0·01
LEITH, . . . .	2,042	75,186	36·820	12·32	39	20	13	47·3	26·6	34·9	0·02
PAISLEY, . . .	3,538	74,206	20·974	16·32	33	28	10	47·8	24·2	32·2	0·04
GREENOCK, . .	1,440	61,475	42·690	11·44	37	23	6	48·7	24·0	35·0	0·04
PERTH, . . . .	2,122	30,524	14·385	19·71	10	10	5	45·5	19·0	29·6	0·00
Corresponding Week of 1896. — Eight Towns.	38,126	1,518,347	39·824	11·85	923	614	246	44·8	21·1	34·5	0·55



**Week ending Saturday, DECEMBER 25, 1897.**

**TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 25, 1897.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·6	2·2	554	116	129	1	11	9	5	26	4	10	3	146	23	94	44	2
GLASGOW, .	20·7	3·0	284	49	62	*1	8	6	2	19	3	2	0	75	15	51	17	1
EDINBURGH,	15·5	0·9	87	20	24	0	0	0	2	1	0	2	0	22	4	16	16	0
DUNDEE, . .	19·1	2·6	60	18	14	0	0	3	0	2	0	3	1	13	0	9	4	1
ABERDEEN, .	15·8	0·8	42	12	11	0	0	0	0	0	0	2	1	11	0	8	0	0
LEITH, . . .	13·8	0·7	20	5	4	0	0	0	0	1	0	0	1	6	2	1	3	0
PAISLEY, . .	19·6	2·1	28	6	8	0	0	0	0	1	1	1	0	8	2	5	2	0
GREENOCK, .	19·5	5·1	23	5	3	0	3	0	1	2	0	0	0	7	0	1	2	0
PERTH, . . .	17·0	0·0	10	1	3	0	0	0	0	0	0	0	0	4	0	3	0	0

\* Chickenpox.

**TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 19, 1896.**

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·0	3·3	614	126	119	0	54	5	7	7	6	16	2	119	17	127	31	5
GLASGOW, .	23·5	5·3	319	64	43	0	45	2	5	5	4	11	2	73	7	55	16	2
EDINBURGH,	21·1	1·1	112	19	30	0	2	1	1	2	0	0	0	17	3	36	10	0
DUNDEE, . .	17·7	1·0	55	9	10	0	0	0	0	0	1	2	0	10	3	12	1	1
ABERDEEN, .	16·8	1·9	44	15	19	0	2	1	0	0	0	2	0	6	0	6	2	1
LEITH, . . .	17·5	0·7	25	9	6	0	0	0	1	0	0	0	0	4	1	2	0	0
PAISLEY, . .	20·0	4·3	28	3	7	0	5	0	0	0	0	1	0	4	1	6	0	0
GREENOCK, .	13·5	0·0	16	4	2	0	0	0	0	0	0	0	0	4	1	4	1	0
PERTH, . . .	25·6	3·4	15	3	2	0	0	1	0	0	1	0	0	1	1	6	1	1



# WEEKLY RETURN

OF

## BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 52.

WEEK ENDING SATURDAY, JANUARY 1, 1898.

The Death-rate in Eight Principal Towns during the week ending with Saturday, January 1, 1898, was 24.1 per thousand of estimated population. This rate is 2.0 above that for the corresponding week of 1896, and 5.5 above that for the previous week.

The lowest mortality was recorded in Leith, viz., 15.2 per thousand; and the highest in Greenock, viz., 31.3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2.4 per thousand, being 0.2 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 182, being 36 above the number for the previous week.

The Mean Temperature was 43°·7, being 11°·3 above that for the week immediately preceding, and 7°·1 above that for the corresponding week of 1896.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 1, 1898, in Eight Principal Towns of Scotland.

TOWNS.	Registra- tion Area in Acres.	Population estimated to middle of Year 1897.	Persons to an Acre. 1897.	Prox- imity in Yards.	Registered during the Week ending Jan. 1, 1898.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar- riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	41,214	1,549,907	37.606	12.19	915	717	583	55.6	30.0	43.7	1.87
GLASGOW, . . .	12,311	714,919	58.072	9.81	460	334	253	54.9	37.5	44.9	2.95
EDINBURGH, . .	8,804	292,364	33.208	12.97	142	150	136	52.2	36.0	44.4	1.32
DUNDEE, . . .	4,162	163,090	39.185	11.94	91	74	61	50.6	32.8	42.3	1.08
ABERDEEN, . . .	6,795	138,143	20.330	16.58	79	49	49	51.8	30.0	42.0	0.69
LEITH, . . . .	2,042	75,186	36.820	12.32	52	22	23	55.6	37.9	45.7	0.95
PAISLEY, . . .	3,538	74,206	20.974	16.32	39	38	26	...	...	...	...
GREENOCK, . .	1,440	61,475	42.690	11.44	45	37	20	52.7	38.0	43.9	4.27
PERTH, . . . .	2,122	30,524	14.385	19.71	7	13	15	53.0	32.0	42.9	1.86
Corresponding Week of 1896.—Eight Towns.	38,126	1,518,347	39.824	11.85	805	644	286	57.0	19.9	36.6	1.15



# Week ending Saturday, JANUARY 1, 1898.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 1, 1898.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
In Eight Towns,	24.1	2.4	717	156	196	0	15	8	3	27	2	18	4	182	32	128	44	3
GLASGOW, .	24.3	3.1	334	70	74	0	13	3	1	16	2	7	2	90	16	60	14	3
EDINBURGH,	26.7	2.0	150	38	54	0	0	3	0	2	0	6	1	35	6	31	22	0
DUNDEE, . .	23.6	2.2	74	19	21	0	0	1	2	3	0	1	0	16	6	15	4	0
ABERDEEN, .	18.4	1.1	49	10	14	0	0	0	0	0	0	3	1	12	2	10	1	0
LEITH, . . .	15.2	0.0	22	4	8	0	0	0	0	0	0	0	0	3	0	1	1	0
PAISLEY, . .	26.6	2.1	38	3	13	0	0	0	0	3	0	0	0	12	2	6	1	0
GREENOCK, .	31.3	5.9	37	9	6	0	2	1	0	3	0	1	0	12	0	4	1	0
PERTH, . . .	22.1	0.0	13	3	6	0	0	0	0	0	0	0	0	2	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 26, 1896.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Zymotic Diseases.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.1	3.7	644	134	128	1	48	8	4	26	4	16	1	151	26	94	31	5
GLASGOW, . .	26.0	5.7	352	70	63	*1	41	5	0	20	2	8	0	85	16	52	13	4
EDINBURGH,	18.1	0.8	96	21	26	0	0	0	0	3	1	0	0	24	1	23	12	1
DUNDEE, . .	23.5	2.9	73	14	10	0	0	2	0	2	1	4	1	15	5	9	0	0
ABERDEEN, .	19.5	2.7	51	17	13	0	3	1	0	0	0	3	0	14	0	5	1	0
LEITH, . . .	14.0	1.4	20	7	5	0	0	0	1	1	0	0	0	3	0	1	1	0
PAISLEY, . .	19.3	3.6	27	2	5	0	4	0	0	0	0	1	0	5	1	1	1	0
GREENOCK, .	15.2	1.7	18	3	3	0	0	0	2	0	0	0	0	4	3	2	3	0
PERTH, . . .	12.0	1.7	7	0	3	0	0	0	1	0	0	0	0	1	0	1	0	0

\* Chickenpox.